MARYLAND & RARE BOOK ROOM
UNIVERSITY OF MARYLAND LIBRARY
COLLEGE PARK, MD.

DO NOT CIRCULATE

ANNUAL VITAL STATISTICS REPORT

MARYLAND STATE LIBRARY
UNIVERSITY OF MARYLAND LIBRARY
COLLEGE PARK, MD.

MARYLAND

1967

MARYLAND STATE DEPARTMENT OF HEALTH

Division of Biostatistics

ANNUAL VITAL STATISTICS REPORT

MARYLAND, 1967

Division of Biostatistics
Maryland State Department of Health
301 W. Preston Street
Baltimore, Maryland 21201
December, 1968

Digitized by the Internet Archive
in 2013

http://archive.org/details/annualvitalstati19mary_3

TABLE OF CONTENTS

Table		Page
	Highlights of 1967 Vital Statistics	ix
	Definitions and Explanatory Notes	xvi
	Population	
1	Estimated Maryland population, by race and political subdivision, July 1, 1967, with comparable 1960 Census Figures	1
2A	Estimated Maryland total population, by age group and political subdivision, July 1, 1967	2
2B	Estimated Maryland white population, by age group and political subdivision, July 1, 1967	3
2C	Estimated Maryland nonwhite population, by age group and political subdivision, July 1, 1967	4
3	Estimated Maryland population, by race and detailed age group, July 1, 1967	5
	Selected Vital Statistics, Three Maryland Areas, 1920-1967	
4	Births and birth rates by race, three Maryland areas, 1920-1967	6
5	Deaths and death rates by race, three Maryland areas, 1920-1967	7
6	Infant deaths and infant death rates by race, three Maryland areas, 1920-1967	8
7	Fetal deaths and fetal death rates by race, three Maryland areas, 1920-1967	9
	Births	
8	Births and birth rates by race and political subdivision, 1967	10
9	Births, premature births and percent premature, by race and political subdivision, 1967	11

TABLE OF CONTENTS
(Continued)

Table		Page
10	Single and plural births by birthweight and race, three Maryland areas, 1967	12
11	Births by month of birth and race, three Maryland areas, 1967	13
12	Births by age of mother and race, three Maryland areas, 1967	13
13	Births by birth order, age of mother and race, Maryland, 1967	14
14	Illegitimate births by race and political subdivision, 1967	15
15	Illegitimate births by age of mother and race, Maryland, 1967	16
16	Illegitimate births by birth order and race, Maryland, 1967	16
17	Births by hospitalization, race, and political subdivision, 1967	17
18	Births by attendant and race, with percent physician attended, by political subdivision, 1967	18
19	Births by place of residence and occurrence, race and political subdivision, 1967	19
20	Births to residents of Maryland, and births occurring in Maryland, by area of residence and area of occurrence, 1967	20

Deaths

21	Deaths and death rates by race and political subdivision, 1967	21
22	Deaths and death rates by age and race, three Maryland areas, 1967	22
23A	Deaths for twenty leading causes, by sex and race, Maryland, 1967	23
23B	Deaths for twenty leading causes, by sex and race, Baltimore City, 1967	24
23C	Deaths for twenty leading causes, by sex and race, Total Counties, 1967	25
24A	Death rates for twenty leading causes, by sex and race, Maryland, 1967	26
24B	Death rates for twenty leading causes, by sex and race, Baltimore City, 1967	27
24C	Death rates for twenty leading causes, by sex and race, Total Counties, 1967	28

TABLE OF CONTENTS
(Continued)

Table		Page
25	The eight leading causes of male deaths in specified age groups, Maryland, 1967	29
26	The eight leading causes of female deaths in specified age groups, Maryland, 1967	30
27	Deaths from 60 selected causes, by age, Maryland, 1967	31
28	Deaths for selected causes, by political subdivision, 1967	35
29	Accidental deaths by type of accident and age, Maryland, 1967	37
30	Accidental deaths by type of accident and place of residence and occurrence, three Maryland areas, 1967	38
31	Deaths by month of death and race, three Maryland areas, 1967	39
32	Deaths by hospitalization, race, and political subdivision, 1967	40
33	Deaths by place of residence and occurrence, race, and political subdivision, 1967	41
34	Deaths to residents of Maryland, and deaths occurring in Maryland, by area of residence and area of occurrence, 1967	42
	Fetal and Infant Deaths	
35	Fetal deaths and fetal death rates by race and political subdivision, 1967	43
36	Infant deaths and infant death rates by race and political subdivision, 1967	44
37	Neonatal deaths, neonatal death rates, and perinatal death rates, by race and political subdivision, 1967	45
	Marriages	
38	Marriages by resident status and type of ceremony, by political subdivision of occurrence, 1967	46
39	Marriages by age of all brides and previous marital status and race, Maryland, 1967	47

TABLE OF CONTENTS
(Continued)

Table		Page
40	Marriages by age of resident brides and previous marital status and race, Maryland, 1967	48
41	Marriages by age of all grooms and previous marital status and race, Maryland, 1967	49
42	Marriages by age of resident grooms and previous marital status and race, Maryland, 1967	50
43	Marriages by age of bride and age of groom, Maryland, 1967	51
44	Marriages by previous marital status and residence of bride, by race, Maryland, 1967	53
45	Marriages by previous marital status and residence of groom, by race, Maryland, 1967	54
46	Marriages by previous marital status of bride and groom, by type of ceremony, Maryland, 1967	55
47	Marriages by State of residence of bride and groom, Maryland, 1967	55
	Divorces	
48	Absolute divorces and annulments by legal grounds for decree and political subdivision of occurrence, 1967	56
49	Absolute divorces and annulments by duration of marriage, three Maryland areas of occurrence, 1967	57
50	Absolute divorces and annulments by party to whom decree was granted, three Maryland areas of occurrence, 1967	57
51	Absolute divorces and annulments by place where marriage was performed, three Maryland areas of occurrence, 1967	58
52	Absolute divorces and annulments by number of children reported under 18 years of age, three Maryland areas of occurrence, 1967	58
53	Absolute divorces and annulments by number of children reported under 18 years of age and duration of marriage, Maryland, 1967	59

TABLE OF CONTENTS
(Continued)

Table		Page
	Comparative Vital Statistics	
54	Comparative population estimates and vital statistics data by race for Maryland regions, 1967	60
55	Selected natality data by race for Maryland and the United States, 1965-1967	61
56	Selected mortality data by race for Maryland and the United States, 1965-1967	62

HIGHLIGHTS OF THE 1967 VITAL STATISTICS OF MARYLAND

I. POPULATION

The population living in Maryland on July 1, 1967 is estimated at 3,692,420. From April 1, 1960, the date of the most recent census, to July 1, 1967, the State's population increased by about 592,000, a gain of 19 percent. Natural increase (the excess of births over deaths) accounted for some 336,000 of this increase, while the remaining 256,000 represented the difference between those who moved into the State and those who moved out (net migration gain).

About 82 percent of the State's residents were in the two metropolitan areas. The Baltimore Metropolitan Area - composed of Baltimore City and the nearby counties of Anne Arundel, Baltimore, Carroll, Harford, and Howard - contained 1,992,210 persons in 1967, about 10 percent more than in 1960. The counties of Montgomery and Prince Georges in the Washington Metropolitan Area showed a population of 1,033,800 in 1967, fully 48 percent above their 1960 count. While the rate of growth in the Baltimore Metropolitan Area parallels the national change between 1960 and 1967 (10 percent), that in the Washington Metropolitan area reflects the great expansion in the 1960's of federal employment at facilities in the National Capital and its environs.

The three non-metropolitan regions of the State - Northwestern Maryland, Southern Maryland, and the Eastern Shore - had an aggregate gain of 11 percent between 1960 and 1967. The 1967 estimate for Northwestern Maryland, the four counties of Garrett, Allegany, Washington, and Frederick, was 304,550. The estimate for the three counties of Southern Maryland - Calvert, Charles, and St. Marys - was 103,620. The estimate for the Eastern Shore, which comprises the nine counties lying east of the Chesapeake Bay and the Susquehanna River, was 258,240.

Changes in the age structure of Maryland's population since 1960 have varied from those occurring during the 1950's. Between 1950 and 1960, the population aged 5 to 14 years of age (roughly elementary school age) experienced the greatest rate of growth. During the period from 1960 to 1967, the most rapid increase took place among the population 15 to 24 years of age (roughly high school and college age). The gain in this period amounted to 49 percent. In contrast, the age group 25 to 44 years of age remained almost stationary (an increase of only 3 percent) between 1960 and 1967.

II. BIRTHS

A. Trend

The number of births to Maryland residents in 1967 was 69,726, the smallest figure since 1955. The total, which declined for the third successive year, stood some 9,000 below the all time record high of 79,003 births set in 1964.

The crude birth rate in Maryland, like that for the nation as a whole, has been declining since 1957. The rate of 18.9 births per 1,000 population in 1967 compared with a rate of 19.9 in 1966 and of 26.3 in 1957. The rates for both whites and nonwhites have shown similar declines. The birth rate among the white population in 1967 of 17.7 per 1,000 was 28 percent below the 1957 level of 24.6. The rate for nonwhites in 1967 of 24.8 per 1,000 was about 29 percent below the peak of 34.8 reached in 1957.

The recent decline in the birth rate is a general phenomenon that has been observed in every political subdivision in Maryland. The 1967 birth rate in ten of the state's counties was lower than the record low levels established during the depression years of the 1930's. Declines in the birth rate since 1960 in excess of 35 percent have occurred in three counties (Kent, Queen Annes, and Somerset), and a number of other counties have experienced reductions almost as great.

B. Age of Mother and Birth Order

For more than a decade the proportion of births to women under 25 years of age has been increasing in Maryland. In 1957, 44.4 percent of all resident births were to mothers under age 25 as compared with 53.5 percent in 1967. Part of this shift is due to the increasing numbers of women in the younger childbearing ages and part to lower fertility among women at older ages.

The decrease in the frequency with which older women - those who for the most part began childbearing in the 1950's - are now adding to their families has been a significant factor in the recent downturn in births. These women had a relatively high level of births when younger, but are now compensating with a relatively low level of births. In a period of just three years - from 1964 to 1967 - the number of Maryland women having third or higher order births declined by 27 percent. The number of women having second order births decreased by 7 percent. By contrast, the number of women having their first child increased by about 10 percent in this period, reflecting the entrance into the childbearing population of the numerically large cohorts of women born during the "baby boom" following World War II.

C. Illegitimate Births

While the total number of children born to Maryland residents has declined in recent years, there has been no interruption in the rise in the number of illegitimate births. There were 9,253 illegitimate births in 1967; about

half of these infants were born to mothers under 20 years of age.

In 1967, illegitimate births constituted 13.3 percent of all live births to Maryland residents, compared with 12.6 percent in 1966 and 9.8 percent in 1962. Among white births 5.1 percent were illegitimate, while for nonwhite births the percentage was 41.6, approximately eight times the figure for white births. This is a smaller differential than has been true in the past, due to a more rapid increase in white than in nonwhite illegitimacy in the 1960's. In the half decade between 1962 and 1967 the number of illegitimate children born to white women increased by 58 percent while the number born to nonwhite women increased by 13 percent.

D. Attendant at Birth

Physicians attended 99.7 percent of all live births to Maryland residents in 1967, midwives 0.1 percent, while the remaining 0.2 percent were attended by other or unspecified persons.

While the long-term trend in the proportion of all babies delivered by midwives has been clearly downward, the acceleration of this trend in the 1960's has been particularly notable. Between 1962 and 1967 the number of children delivered by midwives declined by 88 percent. Deliveries attended by midwives are now rare events, occurring only among one out of every thousand births. The number of deliveries attended by midwives, and the percent of all births these constituted, for selected years since 1947 were as follows:

	Number	Percent
1947	2,472	4.3
1952	1,569	2.5
1957	878	1.2
1962	522	0.7
1967	62	0.1

E. Prematurity

In 1967, 7.4 percent of live births of white residents of Maryland were classified as premature while the corresponding percentage among nonwhite births was 15.2. The premature rate for whites and nonwhites were within their respective ranges of the previous half-decade (7.4 to 7.7 for whites and 15.1 to 15.3 for nonwhites). For Baltimore City residents, the percentages of premature births - 9.3 for whites and 16.3 for nonwhites - continue to be considerably higher than the corresponding figures for the total for all counties.

III. DEATHS

A. Trend

The number of deaths of Maryland residents in 1967 was 31,159. The crude death rate of 8.4 per 1,000 population was the lowest on record. The reduction of almost five percent from the rate of 8.8 experienced in 1966 is attributed to the absence of epidemic influenza until the closing days of 1967. Between 1959 and 1966, the death rate fluctuated within the range of 8.5 to 9.0 per 1,000.

The death rate for whites in 1967 of 8.2 per 1,000 matched the previous low point attained in 1964, while the nonwhite rate of 9.4 per 1,000 was about five percent below the previous low, also set in 1964, of 9.9.

B. Deaths by Cause

Death rates for two of the three leading causes of death in Maryland - diseases of the heart, and cerebral hemorrhage and other vascular lesions - each decreased by about five percent in 1967 from their respective rates for 1966. The death rate for malignant neoplasms, however, continued to increase, reaching a record high of 152.6 per 100,000 population in 1967.

The death rate for all accidents was about two percent lower in 1967 than in 1966. However, the death rate from the leading component, motor vehicle accidents, rose by five percent, attaining the highest level since 1942.

The death rate from certain diseases of early infancy, the fifth leading cause of death, decreased by almost eight percent in 1967 below the rate observed in 1966, to reach a new record low.

The rising standard of living, together with modern medical and public health techniques, has been given substantial credit for reducing mortality in recent decades. However, the fact that death rates can also increase as a result of affluence, and may do so in the last third of the twentieth century, is a paradox only now being recognized. The dramatic upward curve exhibited by several causes of death between 1960 and 1967 in Maryland - as well as in the nation - indicate the direction of future trends.

Among causes of death showing pronounced increases in rates between 1960 and 1967 in Maryland were the following:

	DEATH RATE PER 100,000 POPULATION		
	1960	1967	Percent increase
Cancer of the lung	21.5	30.2	40
Cirrhosis of the liver	10.9	17.0	56
Bronchopulmonic diseases	10.3	14.4	40
Homicide	5.7	8.7	53

Higher standards of living have been accompanied by climbing per capita consumption of tobacco products and of alcoholic beverages. Evidence has accumulated on the close relationship of these agents to a number of diseases. Particularly striking has been the finding of the Advisory Committee to the Surgeon General of the Public Health Service that cigarette smoking is causally related to lung cancer. Emphysema, a disease associated with atmospheric pollution as well as with cigarette smoking, comprised in 1967 about 56 percent of all deaths attributed to "bronchopulmonic diseases". Mortality from cirrhosis of the liver is considered on the basis of epidemiological studies to be closely associated with the consumption of alcohol in spirits and wine.

As economic growth has soared, social change has also accelerated. The latter has initiated new feelings of social unrest, which in turn may have contributed to a more violent expression of discontent - including homicide. The death rate from homicide in Maryland in 1967 was the highest since 1942 (a year of dramatic economic change).

C. Infant Deaths

The infant mortality rate in Maryland for 1967 was 22.2 deaths under one year of age per 1,000 live births. This was four percent lower than the rate for 1966 (23.2), the previous record low.

In the 1950's the downward trend in the infant mortality rate in the United States abruptly halted. From 1950 to 1964 infant mortality in Maryland fell only by 6 percent, compared with a decrease of 61 percent between 1936 and 1950. Now the infant mortality rate appears to be resuming its downward course, with the three-year decline in Maryland between 1964 and 1967 reaching 11 percent.

D. Deaths in Hospitals

A slight reduction in the proportion of all deaths occurring in hospitals and related medical institutions occurred in 1967. In 1967 the percentage was 71.1 compared with 71.8 in 1966 and 71.2 in 1965. The proportion was higher among residents of Baltimore City (72.4 percent) than for county residents (70.4) and higher among whites (71.5) than among nonwhites (69.6).

IV. MARRIAGES

A. Trend

The total number of marriages which took place in Maryland during 1967 was 48,894. This was 1,969 more than the number recorded the previous year, and represented the highest level since 1950.

The lowest level for the period since 1940 was reached during the years 1958-1962, when the number of marriages was relatively constant at about 40,000 a year. The 1967 figure is more than 20 percent above that for 1962, and reflects the entrance into the prime ages for marriage of the children born in the post-world War II surge of births.

B. Resident Status

In 31,837 of the marriage ceremonies performed in Maryland during 1967, at least one party was a Maryland resident, whereas in 17,057 both the bride and groom were out-of-state residents. Of the 30,015 resident brides, 14 percent married nonresident grooms. Of the 27,727 resident grooms 1,822, or 7 percent, married brides from outside Maryland.

Marriages between two nonresidents comprised 34.9 percent of all the ceremonies performed in Maryland in 1967, compared with 35.3 percent in 1966. The proportion has diminished in recent years: in 1956, it stood at 46.1 percent. Nevertheless, the majority of marriages in five counties continued to be those in which both bride and groom are from out-of-state. Three counties, Cecil, Washington and Allegany, accounted for more than half of all non-resident marriages performed in the State during 1967.

C. Civil and Religious Ceremonies

Civil ceremonies were chosen by 24.7 percent of all couples married in the State during 1967. There is a marked difference in the type of ceremony performed in relation to residence status. Only 14 percent of the marriages in which at least one party was a state resident selected a civil ceremony in contrast to almost 45 percent of the marriages in which both the bride and groom were nonresidents of Maryland.

D. Marriages by Age, Previous Marital Status and Race of Bride and Groom

About 76 percent of all brides and a similar proportion of all grooms were married for the first time. Almost 66 percent of these brides were concentrated in the narrow 17 through 21 year age bracket, and 63 percent of these grooms were 19 through 24 years of age. At ages 30 and over brides who had previously been divorced outnumbered brides who had not been previously married, while at ages 35 and over grooms who had previously been divorced outnumbered those who were single. Among divorced women

who remarried, more than half wed men who have been divorced.

The 1966 session of the Legislature approved a bill removing restrictions on the right of individuals to marry men or women of different races. In 1967, for the first time in the State's history, Maryland's brides and grooms attained the freedom to marry spouses of any race. Only a fraction of one percent of all marriages were interracial, however, as the following figures show:

	PERSONS MARRIED BY RACE, 1967			
	RACE OF GROOM			
Race of Bride	Total	White	Negro	Other
Total	48,894	40,590	8,145	159
White	40,660	40,525	71	64
Negro	8,101	28	8,069	4
Other	133	37	5	91

V. DIVORCES

The number of absolute divorces and annulments granted in Maryland in 1967 was 7,413, an increase of five percent over 1966. The increase was the sixth successive annual rise.

A majority of all decrees in 1967 were granted on the legal ground of voluntary separation (4,116) and nearly all of the remainder gave desertion (1,904) or adultery (1,101) as the legal reason.

Of 7,121 couples whose marriages were dissolved during the year reporting information on children under 18 years of age, 40 percent indicated no child; 25 percent, one child; and 35 percent, two or more children. Almost 9,000 children under 18 were in families obtaining divorces.

The median duration of the marriage of persons receiving absolute divorce decrees or annulments was 9.5 years. About 17 percent of the terminations were of marriages of less than four years, while 30 percent were of marriages of 15 years or longer.

DEFINITIONS AND EXPLANATORY NOTES

I. DEFINITIONS

The definitions of some of the more frequently used terms in this report are as follows:

A. Live Births: The complete expulsion or extraction from its mother of a product of human conception irrespective of the period of gestation, which, after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscle, whether or not the umbilical cord has been cut or the placenta is attached.

B. Fetal Death: Death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles.

C. Infant Death: Death occurring to a person under age one.

D. Neonatal Death: Death occurring to a person under 28 days of age.

E. Perinatal Death: Death occurring after 20 weeks of gestation but before 28 days after birth. The perinatal deaths included in this report are, therefore, the sum of the reportable fetal deaths (fetal deaths after 20 weeks gestation) and the neonatal deaths.

F. Premature Birth: A live birth weighing 2,500 grams (5 1/2 lbs.) or less.

G. Birth Rate: Number of live births per 1,000 population.

H. Death Rate: Number of deaths from all causes per 1,000 population. Death rates for specific causes are per 100,000 population.

I. Infant Death Rate: Number of infant deaths per 1,000 live births.

J. Fetal Death Rate: Number of reportable fetal deaths per 1,000 total births. Total births include live births plus fetal deaths of twenty weeks gestation or more.

K. Neonatal Death Rate: Number of neonatal deaths per 1,000 live births.

L. Perinatal Death Rate: Number of perinatal deaths per 1,000 total births. Total births include live births plus fetal deaths of twenty weeks gestation or more.

The definitions of terms A and B are set by law (Annotated Code of Maryland, 1957 Edition, 1967 Supplement: Article 43, Section 14 (a)). However, fetal deaths are reportable for filing purposes with the State Board of Health and Mental Hygiene only if the death occurs after a gestation period of twenty completed weeks or more (Article 43, Section 21 (a)). Therefore, the fetal deaths included in the statistics of this report include only those of twenty or more weeks of gestation.

The data contained in this report are presented on a residence basis, regardless of where the vital event occurred, unless specifically noted otherwise. Information on marriages and divorces cover only events occurring in Maryland.

* *

II. EXPLANATORY NOTE ON POPULATION ESTIMATION

Starting with the year 1955, intercensal population estimates for each Maryland county have been prepared by the Maryland State Department of Health using the Bogue-Duncan composite method.* Annual estimates for the City of Baltimore are provided by the Baltimore City Health Department. The State total represents the sum of the estimates for the counties and for Baltimore City.

Under the Bogue-Duncan method, estimates for various age groups are derived independently and are then summed to secure a total for all ages. Death statistics by age and race for the year of the estimate are used to estimate ages 45 and over, birth statistics to estimate ages 18 to 44, and school enrollment data (supplied by the State Department of Education) to estimate ages 5 to 17. Birth statistics for preceeding years are used in conjunction with an estimate of the net migration of young children to provide a figure for the population under 5.

*See Donald J. Bogue and Beverly Duncan, "A Composite Method for Estimating Postcensal Population of Small Areas by Age, Sex, and Color", National Office of Vital Statistics, Vital Statistics - Special Reports, Vol. 47, No. 6 (August 24, 1959).

As experience was gained with the Bogue-Duncan method, the Health Department has introduced modifications and adaptations to meet recognized problems. For example, counties containing proportionately large number of persons living in group quarters, such as military installations, penal institutions, and mental hospitals, present unique difficulties. Estimates from the composite procedures for such counties are supplemented by data secured from official sources (U.S. Department of Defense, State Department of Correction, State Department of Mental Hygiene).

A new modification was introduced starting with the 1966 estimates. Calculations for the population 18 years of age and over under the Bogue-Duncan method were obtained on an area basis, that is, for groups of contiguous counties rather than on the basis of single counties. Estimates for the adult population of individual counties were then derived by a procedure which assumed that the relative change since the 1960 census year in the ratio of the area's adult population to the number of filed resident individual state income tax returns was proportionately distributed.

In 1965, a carefully conducted census was taken in Calvert County as part of a special project at the School of Hygiene and Public Health, the Johns Hopkins University. The estimate for Calvert County for 1967 was based on this census. Adjustments were made for differences in the enumeration of special groups to conform with the Federal Census definition of usual residence, and for migration taking place following the date of the county census.

G E N E R A L T A B L E S

1 9 6 7

TABLE 1. ESTIMATED MARYLAND POPULATION, BY RACE AND POLITICAL SUBDIVISION, JULY 1, 1967, WITH COMPARABLE 1960 CENSUS FIGURES

Political Subdivision	ESTIMATED POPULATION, JULY 1, 1967				1960 CENSUS (APRIL 1, 1960)
	Total	White	Nonwhite	Percent Nonwhite	
Maryland State	3,692,420	3,066,230	626,190	17.0	3,100,689
Baltimore City	909,900	523,700	386,200	42.4	939,024
Total Counties	2,782,520	2,542,530	239,990	8.6	2,161,665
Allegany	87,650	86,450	1,200	1.4	84,169
Anne Arundel	277,480	242,150	35,330	12.7	206,634
Baltimore	583,220	566,250	16,970	2.9	492,428
Calvert	18,520	10,460	8,060	43.5	15,826
Caroline	20,170	16,140	4,030	20.0	19,462
Carroll	63,890	61,470	2,420	3.8	52,785
Cecil	54,720	51,700	3,020	5.5	48,408
Charles	41,610	27,920	13,690	32.9	32,572
Dorchester	29,370	20,300	9,070	30.9	29,666
Frederick	85,960	80,610	5,350	6.2	71,930
Garrett	23,970	23,870	100	0.4	20,420
Harford	104,640	95,750	8,890	8.5	76,722
Howard	53,080	48,450	4,630	8.7	36,152
Kent	15,650	11,780	3,870	24.7	15,481
Montgomery	451,330	433,950	17,380	3.9	340,928
Prince Georges	582,470	526,360	56,110	9.6	357,395
Queen Annes	17,960	13,240	4,720	26.3	16,569
Saint Marys	43,490	35,270	8,220	18.9	38,915
Somerset	19,490	12,260	7,230	37.1	19,623
Talbot	22,090	16,240	5,850	26.5	21,578
Washington	106,970	103,640	3,330	3.1	91,219
Wicomico	52,730	40,820	11,910	22.6	49,050
Worcester	26,060	17,450	8,610	33.0	23,733

TABLE 2A. ESTIMATED MARYLAND TOTAL POPULATION, BY AGE GROUP AND POLITICAL SUBDIVISION, JULY 1, 1967

Political Subdivision	All Ages	TOTAL POPULATION BY AGE					
		Under 1	1 - 4	5-17	18-44	45-64	65 +
Maryland State	3,692,420	69,440	314,480	996,650	1,321,720	718,310	271,820
Baltimore City	909,900	18,200	76,600	229,100	291,900	201,700	92,400
Total Counties	2,782,520	51,240	237,880	767,550	1,029,820	516,610	179,420
Allegany	87,650	1,290	6,130	20,410	30,850	19,630	9,340
Anne Arundel	277,480	4,910	23,510	76,800	110,390	47,060	14,810
Baltimore	583,220	9,580	42,890	160,100	223,310	110,630	36,710
Calvert	18,520	440	1,870	5,840	5,600	3,200	1,570
Caroline	20,170	340	1,560	5,280	5,620	4,820	2,550
Carroll	63,890	1,060	5,040	15,960	22,050	13,200	6,580
Cecil	54,720	1,120	4,850	13,330	21,770	9,940	3,710
Charles	41,610	970	4,240	13,430	13,550	7,140	2,280
Dorchester	29,370	450	2,050	7,140	8,490	7,540	3,700
Frederick	85,960	1,420	7,000	22,590	31,500	16,280	7,170
Garrett	23,970	390	1,730	6,020	8,400	4,760	2,670
Harford	104,640	2,030	10,020	29,670	40,340	17,180	5,400
Howard	53,080	820	4,850	15,430	19,970	9,070	2,940
Kent	15,650	250	1,220	3,960	4,790	3,490	1,940
Montgomery	451,330	7,430	36,620	135,460	160,080	87,160	24,580
Prince Georges	582,470	13,660	60,890	162,090	225,430	95,210	25,190
Queen Annes	17,960	250	1,320	4,540	5,370	4,360	2,120
Saint Marys	43,490	1,170	4,980	12,360	16,870	6,030	2,080
Somerset	19,490	270	1,320	4,810	5,580	4,940	2,570
Talbot	22,090	320	1,690	5,460	6,190	5,470	2,960
Washington	106,970	1,760	8,030	26,130	40,030	21,040	9,980
Wicomico	52,730	870	4,090	14,230	16,040	12,080	5,420
Worcester	26,060	440	1,980	6,510	7,600	6,380	3,150

TABLE 2B. ESTIMATED MARYLAND WHITE POPULATION, BY AGE GROUP AND POLITICAL SUBDIVISION, JULY 1, 1967

Political Subdivision	All Ages	WHITE POPULATION BY AGE					
		Under 1	1 - 4	5-17	18-44	45-64	65 +
Maryland State	3,066,230	54,180	247,850	801,300	1,107,320	615,740	239,840
Baltimore City	523,700	8,600	35,400	111,600	158,400	136,200	73,500
Total Counties	2,542,530	45,580	212,450	689,700	948,920	479,540	166,340
Allegany	86,450	1,270	6,040	20,130	30,320	19,460	9,230
Anne Arundel	242,150	4,190	20,210	66,740	96,640	41,610	12,760
Baltimore	566,250	9,210	41,290	155,140	217,700	107,300	35,610
Calvert	10,460	190	840	2,720	3,350	2,210	1,150
Caroline	16,140	250	1,140	3,920	4,520	4,100	2,210
Carroll	61,470	1,020	4,810	15,400	21,190	12,690	6,360
Cecil	51,700	1,040	4,510	12,490	20,750	9,440	3,470
Charles	27,920	570	2,380	7,900	9,800	5,570	1,700
Dorchester	20,300	250	1,170	3,960	6,080	5,780	3,060
Frederick	80,610	1,270	6,310	20,670	29,940	15,560	6,860
Garrett	23,870	390	1,730	5,920	8,400	4,760	2,670
Harford	95,750	1,820	9,030	26,610	37,380	16,030	4,880
Howard	48,450	740	4,360	13,930	18,350	8,360	2,710
Kent	11,780	160	830	2,730	3,740	2,720	1,600
Montgomery	433,950	6,990	34,900	130,860	153,030	84,360	23,810
Prince Georges	526,360	12,270	55,000	142,640	204,890	87,920	23,640
Queen Annes	13,240	180	890	3,050	4,040	3,340	1,740
Saint Marys	35,270	910	3,690	9,460	14,560	4,980	1,670
Somerset	12,260	140	650	2,490	3,490	3,590	1,900
Talbot	16,240	210	1,080	3,750	4,660	4,180	2,360
Washington	103,640	1,710	7,800	25,530	38,190	20,670	9,740
Wicomico	40,820	580	2,780	10,060	12,700	10,050	4,650
Worcester	17,450	220	1,010	3,600	5,200	4,860	2,560

TABLE 2C. ESTIMATED MARYLAND NONWHITE POPULATION BY AGE GROUP AND POLITICAL SUBDIVISION, JULY 1, 1967

Political Subdivision	All Ages	NONWHITE POPULATION BY AGE					
		Under 1	1 - 4	5-17	18-44	45-64	65 +
Maryland State	626,190	15,260	66,630	195,350	214,400	102,570	31,980
Baltimore City	386,200	9,600	41,200	117,500	133,500	65,500	18,900
Total Counties	239,990	5,660	25,430	77,850	80,900	37,070	13,080
Allegany	1,200	20	90	280	530	170	110
Anne Arundel	35,330	720	3,300	10,060	13,750	5,450	2,050
Baltimore	16,970	370	1,600	4,960	5,610	3,330	1,100
Calvert	8,060	250	1,030	3,120	2,250	990	420
Caroline	4,030	90	420	1,360	1,100	720	340
Carroll	2,420	40	230	560	860	510	220
Cecil	3,020	80	340	840	1,020	500	240
Charles	13,690	400	1,860	5,530	3,750	1,570	580
Dorchester	9,070	200	880	3,180	2,410	1,760	640
Frederick	5,350	150	690	1,920	1,560	720	310
Garrett	100	-	-	100	-	-	-
Harford	8,890	210	990	3,060	2,960	1,150	520
Howard	4,630	80	490	1,500	1,620	710	230
Kent	3,870	90	390	1,230	1,050	770	340
Montgomery	17,380	440	1,720	4,600	7,050	2,800	770
Prince Georges	56,110	1,390	5,890	19,450	20,540	7,290	1,550
Queen Annes	4,720	70	430	1,490	1,330	1,020	380
Saint Marys	8,220	260	1,290	2,900	2,310	1,050	410
Somerset	7,230	130	670	2,320	2,090	1,350	670
Talbot	5,850	110	610	1,710	1,530	1,290	600
Washington	3,330	50	230	600	1,840	370	240
Wicomico	11,910	290	1,310	4,170	3,340	2,030	770
Worcester	8,610	220	970	2,910	2,400	1,520	590

TABLE 3. ESTIMATED MARYLAND POPULATION, BY RACE AND DETAILED AGE GROUP, JULY 1, 1967

Age	POPULATION		
	Total	White	Nonwhite
All Ages	3,692,420	3,066,230	626,190
Under 5	383,920	302,030	81,890
5 - 9	406,420	323,650	82,770
10 - 14	383,300	309,850	73,450
15 - 19	337,910	275,660	62,250
20 - 24	280,810	238,920	41,890
25 - 29	238,750	199,580	39,170
30 - 34	216,370	180,550	35,820
35 - 39	222,380	185,020	37,360
40 - 44	232,430	195,390	37,040
45 - 54	422,260	360,070	62,190
55 - 64	296,050	255,670	40,380
65 - 74	175,600	155,570	20,030
75 & over	96,220	84,270	11,950

TABLE 4. BIRTHS AND BIRTH RATES BY RACE, THREE MARYLAND AREAS, 1920-1967

Year	Maryland State			Baltimore City			Total Counties		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
	NUMBER OF BIRTHS								
1920	36,720	29,888	6,832	18,426	15,584	2,842	18,294	14,304	3,990
1930	30,988	24,455	6,533	14,015	10,862	3,153	16,973	13,593	3,380
1940	32,368	25,438	6,930	13,712	10,105	3,607	18,656	15,333	3,323
1950	55,992	43,599	12,393	21,382	14,168	7,214	34,610	29,431	5,179
1960	77,496	60,093	17,403	23,262	11,998	11,264	54,234	48,095	6,139
1963	78,146	60,770	17,376	22,091	11,200	10,891	56,055	49,570	6,485
1964	79,003	61,388	17,615	21,987	10,797	11,190	57,016	50,591	6,425
1965	74,137	57,526	16,611	19,907	9,629	10,278	54,230	47,897	6,333
1966	72,117	56,157	15,960	19,127	9,146	9,981	52,990	47,011	5,979
1967	69,726	54,167	15,559	17,985	8,212	9,773	51,741	45,955	5,786
	BIRTH RATES PER 1,000 POPULATION								
1920	25.2	24.7	27.7	25.0	24.9	25.8	25.4	24.4	29.3
1930	18.9	18.0	23.5	17.4	16.4	22.0	20.4	19.5	25.1
1940	17.6	16.6	22.7	15.9	14.6	21.5	19.2	18.3	24.3
1950	23.8	22.2	31.7	22.5	19.5	31.7	24.6	23.7	31.8
1960	24.8	23.2	32.8	24.8	19.7	34.0	24.9	24.3	30.8
1963	23.2	21.8	30.2	23.9	19.6	30.8	23.0	22.3	29.4
1964	22.8	21.3	30.4	23.8	19.3	30.9	22.4	21.8	29.4
1965	20.9	19.5	27.8	21.7	17.6	27.8	20.6	19.9	27.9
1966	19.9	18.7	26.4	20.9	17.0	26.5	19.6	19.0	26.1
1967	18.9	17.7	24.8	19.8	15.7	25.3	18.6	18.1	24.1

TABLE 5. DEATHS AND DEATH RATES BY RACE, THREE MARYLAND AREAS, 1920-1967

Year	Maryland State			Baltimore City			Total Counties		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
	NUMBER OF DEATHS								
1920	21,401	16,162	5,239	11,205	8,676	2,529	10,196	7,486	2,710
1930	21,845	16,481	5,364	11,039	8,194	2,845	10,806	8,287	2,519
1940	21,883	16,943	4,940	11,096	8,243	2,853	10,787	8,700	2,087
1950	22,450	17,811	4,639	10,624	7,835	2,789	11,826	9,976	1,850
1960	27,992	22,447	5,545	11,483	8,020	3,463	16,509	14,427	2,082
1963	30,304	24,272	6,032	12,025	8,154	3,871	18,279	16,118	2,161
1964	29,540	23,781	5,759	11,392	7,624	3,768	18,148	16,157	1,991
1965	30,981	24,958	6,023	11,643	7,856	3,787	19,338	17,102	2,236
1966	31,712	25,421	6,291	11,780	7,712	4,068	19,932	17,709	2,223
1967	31,159	25,280	5,879	11,201	7,407	3,794	19,958	17,873	2,085
	DEATH RATES PER 1,000 POPULATION								
1920	14.7	13.3	21.3	15.2	13.8	22.9	14.1	12.8	19.9
1930	13.3	12.3	19.3	13.7	12.4	19.8	13.0	11.9	18.7
1940	11.9	11.1	16.2	12.9	11.9	17.0	11.1	10.4	15.2
1950	9.5	9.1	11.9	11.1	10.8	12.3	8.4	8.0	11.4
1960	9.0	8.7	10.5	12.2	13.2	10.5	7.6	7.3	10.4
1963	9.0	8.7	10.5	13.0	14.3	10.9	7.5	7.3	9.8
1964	8.5	8.2	9.9	12.4	13.6	10.4	7.1	6.9	9.1
1965	8.7	8.4	10.1	12.7	14.3	10.2	7.3	7.1	9.8
1966	8.8	8.4	10.4	12.9	14.3	10.8	7.4	7.2	9.7
1967	8.4	8.2	9.4	12.3	14.1	9.8	7.2	7.0	8.7

TABLE 6. INFANT DEATHS AND INFANT DEATH RATES BY RACE, THREE MARYLAND AREAS, 1920-1967

Year	NUMBER OF INFANT DEATHS								
	Maryland State			Baltimore City			Total Counties		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
1920	3,785	2,667	1,118	1,926	1,461	465	1,859	1,206	653
1930	2,339	1,541	798	916	619	297	1,423	922	501
1940	1,593	1,062	531	641	387	254	952	675	277
1950	1,476	965	511	581	307	274	895	658	237
1960	2,122	1,341	781	757	292	465	1,365	1,049	316
1963	2,016	1,326	690	678	264	414	1,338	1,062	276
1964	1,970	1,251	719	682	238	444	1,288	1,013	275
1965	1,837	1,260	577	565	239	326	1,272	1,021	251
1966	1,675	1,078	597	533	176	357	1,142	902	240
1967	1,545	1,037	508	472	177	295	1,073	860	213
	INFANT DEATH RATES PER 1,000 LIVE BIRTHS								
1920	103.1	89.2	163.6	104.5	93.8	163.6	101.6	84.3	163.7
1930	75.5	63.0	122.1	65.4	57.0	94.2	83.8	67.8	148.2
1940	49.2	41.7	76.6	46.7	38.3	70.4	51.0	44.0	83.3
1950	26.4	22.1	41.2	27.2	21.7	38.0	25.9	22.4	45.8
1960	27.4	22.3	44.9	32.5	24.3	41.3	25.2	21.8	51.5
1963	25.8	21.8	39.7	30.7	23.6	38.0	23.9	21.4	42.6
1964	24.9	20.4	40.8	31.0	22.0	39.7	22.6	20.0	42.8
1965	24.8	21.9	34.7	28.4	24.8	31.7	23.5	21.3	39.6
1966	23.2	19.2	37.4	27.9	19.2	35.8	21.6	19.2	40.1
1967	22.2	19.1	32.6	26.2	21.6	30.2	20.7	18.7	36.8

TABLE 7. FETAL DEATHS AND FETAL DEATH RATES BY RACE, THREE MARYLAND AREAS, 1920-1967

Year	Maryland State			Baltimore City			Total Counties		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
	NUMBER OF FETAL DEATHS								
1920	2,916	2,028	888	1,422	995	427	1,494	1,033	461
1930	2,160	1,409	751	1,038	650	388	1,122	759	363
1940	1,352	860	492	638	373	265	714	487	227
1950	1,102	728	374	460	270	190	642	458	184
1960	1,224	811	413	428	187	241	796	624	172
1963	1,198	804	394	396	150	246	802	654	148
1964	1,143	748	395	367	117	250	776	631	145
1965	1,110	716	394	382	140	242	728	576	152
1966	998*	660*	338*	322*	105*	217*	676	555	121
1967	1,037	697	340	316	107	209	721	590	131
	FETAL DEATH RATES PER 1,000 TOTAL BIRTHS								
1920	73.6	63.5	115.0	71.6	60.0	130.6	75.5	67.4	103.6
1930	65.2	54.5	103.1	69.0	56.5	109.6	62.0	52.9	97.0
1940	40.1	32.7	66.3	44.5	35.6	68.4	36.9	30.8	63.9
1950	19.3	16.4	29.3	21.1	18.7	25.7	18.2	15.3	34.3
1960	15.2	13.3	23.2	18.1	15.3	20.9	14.5	12.8	27.3
1963	15.1	13.1	22.2	17.6	13.2	22.1	14.1	13.0	22.3
1964	14.3	12.0	21.9	16.4	10.7	21.9	13.4	12.3	22.1
1965	14.8	12.3	23.2	18.8	14.3	23.0	13.2	11.9	23.4
1966	13.6*	11.6*	20.7*	16.6*	11.4*	21.3*	12.6	11.7	19.8
1967	14.7	12.7	21.4	17.3	12.9	20.9	13.7	12.7	22.1

*Revised figure.

TABLE 8. BIRTHS AND BIRTH RATES BY RACE AND POLITICAL SUBDIVISION, 1967

Area of Residence	NUMBER OF BIRTHS			BIRTH RATES*		
	Total	White	Non-white	Total	White	Non-white
Maryland State	69,726	54,167	15,559	18.9	17.7	24.8
Baltimore City	17,985	8,212	9,773	19.8	15.7	25.3
Total Counties	51,741	45,955	5,786	18.6	18.1	24.1
Allegany	1,259	1,235	24	14.4	14.3	20.0
Anne Arundel	4,989	4,302	687	18.0	17.8	19.4
Baltimore	9,598	9,236	362	16.5	16.3	21.3
Calvert	450	195	255	24.3	18.6	31.6
Caroline	326	235	91	16.2	14.6	22.6
Carroll	1,081	1,030	51	16.9	16.8	21.1
Cecil	1,110	1,032	78	20.3	20.0	25.8
Charles	1,009	612	397	24.2	21.9	29.0
Dorchester	446	242	204	15.2	11.9	22.5
Frederick	1,417	1,270	147	16.5	15.8	27.5
Garrett	364	364	-	15.2	15.2	-
Harford	2,006	1,808	198	19.2	18.9	22.3
Howard	862	773	89	16.2	16.0	19.2
Kent	236	153	83	15.1	13.0	21.4
Montgomery	7,464	6,977	487	16.5	16.1	28.0
Prince Georges	14,028	12,502	1,526	24.1	23.8	27.2
Queen Annes	243	170	73	13.5	12.8	15.5
Saint Marys	1,218	963	255	28.0	27.3	31.0
Somerset	267	129	138	13.7	10.5	19.1
Talbot	309	201	108	14.0	12.4	18.5
Washington	1,788	1,737	51	16.7	16.8	15.3
Wicomico	840	575	265	15.9	14.1	22.3
Worcester	431	214	217	16.5	12.3	25.2

*Birth rates are per 1,000 population.

TABLE 9. BIRTHS, PREMATURE BIRTHS, AND PERCENT PREMATURE, BY RACE AND POLITICAL SUBDIVISION, 1967

Area of Residence	ALL BIRTHS*			PREMATURE BIRTHS			PERCENT PREMATURE**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Maryland State	69,726	54,167	15,559	6,384	4,021	2,363	9.2	7.4	15.2
Baltimore City	17,985	8,212	9,773	2,357	764	1,593	13.1	9.3	16.3
Total Counties	51,741	45,955	5,786	4,027	3,257	770	7.8	7.1	13.3
Allegany	1,259	1,235	24	80	78	2	6.4	6.3	8.3
Anne Arundel	4,989	4,302	687	371	286	85	7.4	6.6	12.4
Baltimore	9,598	9,236	362	762	721	41	7.9	7.8	11.3
Calvert	450	195	255	52	9	43	11.6	4.6	16.9
Caroline	326	235	91	27	16	11	8.3	6.8	12.1
Carroll	1,081	1,030	51	76	67	9	7.0	6.5	17.6
Cecil	1,110	1,032	78	83	70	13	7.5	6.8	16.7
Charles	1,009	612	397	79	39	40	7.8	6.4	10.1
Dorchester	446	242	204	50	15	35	11.2	6.2	17.2
Frederick	1,417	1,270	147	105	71	34	7.4	5.6	23.1
Garrett	364	364	-	23	23	-	6.3	6.3	-
Harford	2,006	1,808	198	176	152	24	8.8	8.4	12.1
Howard	862	773	89	64	47	17	7.4	6.1	19.1
Kent	236	153	83	19	12	7	8.1	7.8	8.4
Montgomery	7,464	6,977	487	553	503	50	7.4	7.2	10.3
Prince Georges	14,028	12,502	1,526	1,059	878	181	7.5	7.0	11.9
Queen Annes	243	170	73	28	12	16	11.5	7.1	21.9
Saint Marys	1,218	963	255	111	67	44	9.1	7.0	17.3
Somerset	267	129	138	19	5	14	7.1	3.9	10.1
Talbot	309	201	108	37	14	23	12.0	7.0	21.3
Washington	1,788	1,737	51	129	119	10	7.2	6.9	19.6
Wicomico	840	575	265	80	41	39	9.5	7.1	14.7
Worcester	431	214	217	44	12	32	10.2	5.6	14.7

* Includes 70 births with weight not stated.

** Percent of all births.

TABLE 10. SINGLE AND PLURAL BIRTHS, BY BIRTH WEIGHT AND RACE, THREE MARYLAND AREAS, 1967

Area of Residence	SINGLE BIRTHS					PLURAL BIRTHS				
	Total Single births	BIRTH WEIGHT			PER CENT 2500 gms and less	Total Plural births	BIRTH WEIGHT			PER CENT 2500 gms and less
		2500 gms and less	2501 gms and over	Not stated			2500 gms and less	2501 gms and over	Not stated	
MARYLAND STATE										
Total	68,262	5,539	62,653	70	8.1	1,464	845	619	-	57.7
White	53,090	3,436	49,601	53	6.5	1,077	585	492	-	54.3
Nonwhite	15,172	2,103	13,052	17	13.9	387	260	127	-	67.2
BALTIMORE CITY										
Total	17,584	2,091	15,480	13	11.9	401	266	135	-	66.3
White	8,062	677	7,382	3	8.4	150	87	63	-	58.0
Nonwhite	9,522	1,414	8,098	10	14.8	251	179	72	-	71.3
TOTAL COUNTIES										
Total	50,678	3,448	47,173	57	6.8	1,063	579	484	-	54.5
White	45,028	2,759	42,219	50	6.1	927	498	429	-	53.7
Nonwhite	5,650	689	4,954	7	12.2	136	81	55	-	59.6

TABLE 11. BIRTHS BY MONTH OF BIRTH AND RACE, THREE MARYLAND AREAS, 1967

Area of Residence	Race	All Months	MONTH OF BIRTH											
			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Maryland State	All births	69,726	5,796	5,361	5,761	5,488	5,673	5,782	6,177	6,169	5,959	5,978	5,703	5,879
	White	54,167	4,478	4,166	4,535	4,400	4,409	4,488	4,737	4,759	4,638	4,600	4,418	4,539
	Nonwhite	15,559	1,318	1,195	1,226	1,088	1,264	1,294	1,440	1,410	1,321	1,378	1,285	1,340
Baltimore City	All births	17,985	1,587	1,427	1,460	1,340	1,470	1,498	1,621	1,576	1,513	1,558	1,451	1,484
	White	8,212	747	675	688	662	678	693	696	707	697	679	650	640
	Nonwhite	9,773	840	752	772	678	792	805	925	869	816	879	801	844
Total Counties	All births	51,741	4,209	3,934	4,301	4,148	4,203	4,284	4,556	4,593	4,446	4,420	4,252	4,395
	White	45,955	3,731	3,491	3,847	3,738	3,731	3,795	4,041	4,052	3,941	3,921	3,768	3,899
	Nonwhite	5,786	478	443	454	410	472	489	515	541	505	499	484	496

TABLE 12. BIRTHS BY AGE OF MOTHER AND RACE, THREE MARYLAND AREAS, 1967

Area of Residence	Race	All Ages	AGE OF MOTHER								
			Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Over	Not Stated
Maryland State	All births	69,726	255	12,098	24,965	17,638	8,934	4,482	1,234	67	53
	White	54,167	51	7,370	20,150	14,815	7,209	3,522	966	46	38
	Nonwhite	15,559	204	4,728	4,815	2,823	1,725	960	268	21	15
Baltimore City	All births	17,985	155	4,562	6,370	3,620	1,922	1,034	297	16	9
	White	8,212	16	1,388	3,279	1,995	921	462	143	5	3
	Nonwhite	9,773	139	3,174	3,091	1,625	1,001	572	154	11	6
Total Counties	All births	51,741	100	7,536	18,595	14,018	7,012	3,448	937	51	44
	White	45,955	35	5,982	16,871	12,820	6,288	3,060	823	41	35
	Nonwhite	5,786	65	1,554	1,724	1,198	724	388	114	10	9

TABLE 13. BIRTHS BY BIRTH ORDER, AGE OF MOTHER, AND RACE, MARYLAND, 1967

Birth Order*	All Ages**	AGE OF MOTHER							
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Over
Total births:	69,726	255	12,098	24,965	17,638	8,934	4,482	1,234	67
First child	24,537	244	8,831	10,849	3,539	745	248	60	6
Second	17,793	8	2,512	7,999	5,110	1,536	504	105	10
Third	11,427	2	602	3,673	4,106	2,054	789	176	10
Fourth	6,684	-	123	1,525	2,311	1,726	798	194	4
Fifth	3,844	-	18	582	1,265	1,095	711	163	8
Sixth	2,282	-	3	213	700	734	466	155	9
Seventh	1,260	-	1	81	313	438	321	103	3
Eighth or more	1,855	-	2	30	283	602	644	277	17
Not stated	44	1	6	13	11	4	1	1	-
Total white:	54,167	51	7,370	20,150	14,815	7,209	3,522	966	46
First child	19,382	50	5,782	9,476	3,157	641	206	54	3
Second	14,515	-	1,328	6,689	4,630	1,332	431	90	6
Third	9,214	-	220	2,740	3,594	1,805	680	155	9
Fourth	5,153	-	31	894	1,868	1,491	702	161	4
Fifth	2,779	-	3	256	918	881	572	141	7
Sixth	1,516	-	1	62	422	536	368	118	7
Seventh	737	-	-	15	144	276	231	69	2
Eighth or more	845	-	1	8	76	244	331	177	8
Not stated	26	1	4	10	6	3	1	1	-
Total nonwhite:	15,559	204	4,728	4,815	2,823	1,725	960	268	21
First child	5,155	194	3,049	1,373	382	104	42	6	3
Second	3,278	8	1,184	1,310	480	204	73	15	4
Third	2,213	2	382	933	512	249	109	21	1
Fourth	1,531	-	92	631	443	235	96	33	-
Fifth	1,065	-	15	326	347	214	139	22	1
Sixth	766	-	2	151	278	198	98	37	2
Seventh	523	-	1	66	169	162	90	34	1
Eighth or more	1,010	-	1	22	207	358	313	100	9
Not stated	18	-	2	3	5	1	-	-	-

*Based on the current live births plus all previous deliveries to the mother.

**Includes 53 mothers with age not stated.

TABLE 14. ILLEGITIMATE BIRTHS BY RACE, AND POLITICAL SUBDIVISION, 1967

Area of Residence	ILLEGITIMATE BIRTHS TO MARYLAND RESIDENTS					
				Percent Illegitimate		
	Total	White	Non-white	Total	White	Non-white
Maryland State	9,253	2,777	6,476	13.3	5.1	41.6
Baltimore City	5,105	746	4,359	28.4	9.1	44.6
Total Counties	4,148	2,031	2,117	8.0	4.4	36.6
Allegany	74	68	6	5.9	5.5	25.0
Anne Arundel	432	177	255	8.7	4.1	37.1
Baltimore	454	343	111	4.7	3.7	30.7
Calvert	128	6	122	28.4	3.1	47.8
Caroline	50	12	38	15.3	5.1	41.8
Carroll	77	55	22	7.1	5.3	43.1
Cecil	99	67	32	8.9	6.5	41.0
Charles	190	25	165	18.8	4.1	41.6
Dorchester	124	17	107	27.8	7.0	52.5
Frederick	147	87	60	10.4	6.9	40.8
Garrett	18	18	-	4.9	4.9	-
Harford	149	93	56	7.4	5.1	28.3
Howard	70	38	32	8.1	4.9	36.0
Kent	50	6	44	21.2	3.9	53.0
Montgomery	396	296	100	5.3	4.2	20.5
Prince Georges	926	514	412	6.6	4.1	27.0
Queen Annes	52	12	40	21.4	7.1	54.8
Saint Marys	136	25	111	11.2	2.6	43.5
Somerset	68	9	59	25.5	7.0	42.8
Talbot	73	10	63	23.6	5.0	58.3
Washington	125	105	20	7.0	6.0	39.2
Wicomico	179	36	143	21.3	6.3	54.0
Worcester	131	12	119	30.4	5.6	54.8

TABLE 15. ILLEGITIMATE BIRTHS BY AGE OF MOTHER AND RACE, MARYLAND, 1967

Age of Mother	ILLEGITIMATE BIRTHS			PERCENT ILLEGITIMATE		
	Total	White	Non-white	Total	White	Non-white
All ages	9,253	2,777	6,476	13.3	5.1	41.6
Under 15	219	25	194	85.9	49.0	95.1
15 - 17	2,267	479	1,788	54.1	23.4	83.4
18 - 19	2,204	704	1,500	27.9	13.2	58.0
20 - 24	2,665	999	1,666	10.7	5.0	34.6
25 - 29	1,004	337	667	5.7	2.3	23.6
30 - 34	535	138	397	6.0	1.9	23.0
35 - 39	276	71	205	6.2	2.0	21.4
40 and over	83	24	59	6.4	2.4	20.4

TABLE 16. ILLEGITIMATE BIRTHS BY BIRTH ORDER AND RACE, MARYLAND, 1967

Birth Order	ILLEGITIMATE BIRTHS			PERCENT ILLEGITIMATE		
	Total	White	Non-white	Total	White	Non-white
Total illegitimate*	9,253	2,777	6,476	13.3	5.1	41.6
First child	5,081	1,842	3,239	20.7	9.5	62.8
Second	1,631	397	1,234	9.2	2.7	37.6
Third	925	218	707	8.1	2.4	31.9
Fourth	562	128	434	8.4	2.5	28.3
Fifth	364	82	282	9.5	2.9	26.5
Sixth	245	51	194	10.7	3.4	25.3
Seventh	183	33	150	14.5	4.5	28.7
Eighth and over	253	21	232	13.6	2.5	23.0

*Includes 9 births with birth order not stated.

TABLE 17. BIRTHS BY HOSPITALIZATION, RACE, AND POLITICAL SUBDIVISION, 1967

Area of Residence	NUMBER OF HOSPITAL BIRTHS			PERCENT OF ALL BIRTHS OCCURRING IN HOSPITALS			LOCATION OF HOSPITAL			
	Total	White	Non-white	Total	White	Non-white	County Same As Residence	Other County	Baltimore City	Other States
Maryland State	69,320	54,007	15,313	99.4	99.7	98.4	24,558	7,264	26,287	11,211
Baltimore City	17,853	8,188	9,665	99.3	99.7	98.9	xxx	1,633	16,167	53
Total Counties	51,467	45,819	5,648	99.5	99.7	97.6	24,558	5,631	10,120	11,158
Allegany	1,257	1,233	24	99.8	99.8	100.0	1,183	4	5	65
Anne Arundel	4,961	4,284	677	99.4	99.6	98.5	2,286	372	2,163	140
Baltimore	9,575	9,215	360	99.8	99.8	99.4	2,513	205	6,735	122
Calvert	449	195	254	99.8	100.0	99.6	346	66	20	17
Caroline	316	231	85	96.9	98.3	93.4	-	262	3	51
Carroll	1,073	1,024	49	99.3	99.4	96.1	559	174	174	166
Cecil	1,108	1,030	78	99.8	99.8	100.0	772	228	15	93
Charles	977	608	369	96.8	99.3	92.9	462	153	20	342
Dorchester	423	240	183	94.8	99.2	89.7	315	92	4	12
Frederick	1,415	1,269	146	99.9	99.9	99.3	1,023	98	18	276
Garrett	363	363	-	99.7	99.7	-	238	43	-	82
Harford	1,998	1,803	195	99.6	99.7	98.5	1,363	316	281	38
Howard	855	768	87	99.2	99.4	97.8	-	339	471	45
Kent	236	153	83	100.0	100.0	100.0	222	8	-	6
Montgomery	7,443	6,958	485	99.7	99.7	99.6	4,278	149	25	2,991
Prince Georges	13,970	12,477	1,493	99.6	99.8	97.8	5,082	2,294	139	6,455
Queen Annes	241	169	72	99.2	99.4	98.6	-	219	17	5
Saint Marys	1,208	955	253	99.2	99.2	99.2	1,155	12	15	26
Somerset	259	127	132	97.0	98.4	95.7	88	167	2	2
Talbot	307	201	106	99.4	100.0	98.1	297	8	1	1
Washington	1,779	1,728	51	99.5	99.5	100.0	1,563	10	8	198
Wicomico	836	574	262	99.5	99.8	98.9	812	6	2	16
Worcester	418	214	204	97.0	100.0	94.0	1	406	2	9

TABLE 18. BIRTHS BY ATTENDANT AND RACE, WITH PERCENT PHYSICIAN ATTENDED, BY POLITICAL SUBDIVISION, 1967

Area of Residence	DELIVERED BY: PHYSICIAN			MIDWIFE			OTHER			PERCENT PHYSICIAN ATTENDED		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Maryland State	69,543	54,112	15,431	62	13	49	121	42	79	99.7	99.9	99.2
Baltimore City	17,931	8,204	9,727	3	-	3	51	8	43	99.7	99.9	99.5
Total Counties	51,612	45,908	5,704	59	13	46	70	34	36	99.8	99.9	98.6
Allegany	1,259	1,235	24	-	-	-	-	-	-	100.0	100.0	100.0
Anne Arundel	4,982	4,297	685	1	1	-	6	4	2	99.9	99.9	99.7
Baltimore	9,583	9,222	361	-	-	-	15	14	1	99.8	99.8	99.7
Calvert	449	195	254	-	-	-	1	-	1	99.8	100.0	99.6
Caroline	322	234	88	1	1	-	3	-	3	98.8	99.6	96.7
Carroll	1,078	1,028	50	-	-	-	3	2	1	99.7	99.8	98.0
Cecil	1,110	1,032	78	-	-	-	-	-	-	100.0	100.0	100.0
Charles	982	609	373	25	2	23	2	1	1	97.3	99.5	94.0
Dorchester	432	241	191	11	-	11	3	1	2	96.9	99.6	93.6
Frederick	1,416	1,269	147	-	-	-	1	1	-	99.9	99.9	100.0
Garrett	364	364	-	-	-	-	-	-	-	100.0	100.0	-
Harford	2,001	1,806	195	-	-	-	5	2	3	99.8	99.9	98.5
Howard	862	773	89	-	-	-	-	-	-	100.0	100.0	100.0
Kent	236	153	83	-	-	-	-	-	-	100.0	100.0	100.0
Montgomery	7,461	6,974	487	-	-	-	3	3	-	100.0	100.0	100.0
Prince Georges	14,011	12,501	1,510	-	-	-	17	1	16	99.9	100.0	99.0
Queen Annes	241	169	72	2	1	1	-	-	-	99.2	99.4	98.6
Saint Marys	1,209	955	254	9	8	1	-	-	-	99.3	99.2	99.6
Somerset	262	128	134	3	-	3	2	1	1	98.1	99.2	97.1
Talbot	308	201	107	-	-	-	1	-	1	99.7	100.0	99.1
Washington	1,785	1,734	51	-	-	-	3	3	-	99.8	99.8	100.0
Wicomico	838	574	264	-	-	-	2	1	1	99.8	99.8	99.6
Worcester	421	214	207	7	-	7	3	-	3	97.7	100.0	95.4

TABLE 19.

BIRTHS BY PLACE OF RESIDENCE AND OCCURRENCE, RACE, AND POLITICAL SUBDIVISION, 1967

Area	BIRTHS BY AREA OF MOTHER'S RESIDENCE			BIRTHS IN MARYLAND BY AREA OF BIRTH		
	Total	White	Non-white	Total	White	Non-white
Maryland State	69,726	54,167	15,559	61,365	46,246	15,119
Baltimore City	17,985	8,212	9,773	26,518	16,185	10,333
Total Counties	51,741	45,955	5,786	34,847	30,061	4,786
Allegany	1,259	1,235	24	1,623	1,594	29
Anne Arundel	4,989	4,302	687	2,863	2,408	455
Baltimore	9,598	9,236	362	4,641	4,421	220
Calvert	450	195	255	403	155	248
Caroline	326	235	91	8	4	4
Carroll	1,081	1,030	51	688	676	12
Cecil	1,110	1,032	78	915	828	87
Charles	1,009	612	397	533	286	247
Dorchester	446	242	204	353	163	190
Frederick	1,417	1,270	147	1,139	988	151
Garrett	364	364	-	346	346	-
Harford	2,006	1,808	198	1,882	1,684	198
Howard	862	773	89	4	2	2
Kent	236	153	83	356	252	104
Montgomery	7,464	6,977	487	7,593	7,020	573
Prince Georges	14,028	12,502	1,526	6,005	4,933	1,072
Queen Annes	243	170	73	1	1	-
Saint Marys	1,218	963	255	1,197	947	250
Somerset	267	129	138	110	66	44
Talbot	309	201	108	758	525	233
Washington	1,788	1,737	51	1,779	1,732	47
Wicomico	840	575	265	1,636	1,030	606
Worcester	431	214	217	14	-	14

TABLE 20. BIRTHS TO RESIDENTS OF MARYLAND, AND BIRTHS OCCURRING IN MARYLAND, BY AREA OF RESIDENCE AND AREA OF OCCURRENCE, 1967

Area of Residence	AREA OF OCCURRENCE OF BIRTH						
	All Areas Of Occurrence	State Of Maryland				District Of Columbia	Other States
		State Totals	Md. County Same As Residence	Md. County Other Than Residence	Baltimore City		
Maryland State	69,726	58,501	24,787	7,276	26,438	9,627	1,598
Baltimore City	17,985	17,931	xxx	1,634	16,297	9	45
Total Counties	51,741	40,570	24,787	5,642	10,141	9,618	1,553
Allegany	1,259	1,194	1,185	4	5	2	63
Anne Arundel	4,989	4,849	2,306	372	2,171	104	36
Baltimore	9,598	9,476	2,524	206	6,746	16	106
Calvert	450	433	347	66	20	14	3
Caroline	326	274	7	263	4	1	51
Carroll	1,081	915	567	174	174	7	159
Cecil	1,110	1,016	773	228	15	1	93
Charles	1,009	667	493	154	20	311	31
Dorchester	446	434	336	93	5	1	11
Frederick	1,417	1,140	1,024	98	18	16	261
Garrett	364	282	239	43	-	-	82
Harford	2,006	1,968	1,370	317	281	5	33
Howard	862	815	4	340	471	34	13
Kent	236	230	222	8	-	-	6
Montgomery	7,464	4,473	4,298	150	25	2,894	97
Prince Georges	14,028	7,566	5,133	2,294	139	6,186	276
Queen Annes	243	237	1	219	17	1	5
Saint Marys	1,218	1,192	1,165	12	15	17	9
Somerset	267	265	95	168	2	-	2
Talbot	309	308	299	8	1	-	1
Washington	1,788	1,590	1,572	10	8	3	195
Wicomico	840	824	816	6	2	4	12
Worcester	431	422	11	409	2	1	8
Out of State	xxx	2,864	xxx	2,784	80	xxx	xxx

TABLE 21. DEATHS AND DEATH RATES BY RACE AND POLITICAL SUBDIVISION, 1967

Area of Residence	NUMBER OF DEATHS			DEATH RATES*		
	Total	White	Non-white	Total	White	Non-white
Maryland State	31,159	25,280	5,879	8.4	8.2	9.4
Baltimore City	11,201	7,407	3,794	12.3	14.1	9.8
Total Counties	19,958	17,873	2,085	7.2	7.0	8.7
Allegany	1,012	1,001	11	11.5	11.6	9.2
Anne Arundel	1,741	1,451	290	6.3	6.0	8.2
Baltimore	4,120	3,970	150	7.1	7.0	8.8
Calvert	200	136	64	10.8	13.0	7.9
Caroline	270	196	74	13.4	12.1	18.4
Carroll	573	551	22	9.0	9.0	9.1
Cecil	450	419	31	8.2	8.1	10.3
Charles	299	189	110	7.2	6.8	8.0
Dorchester	388	268	120	13.2	13.2	13.2
Frederick	799	720	79	9.3	8.9	14.8
Garrett	205	205	-	8.6	8.6	-
Harford	650	578	72	6.2	6.0	8.1
Howard	310	286	24	5.8	5.9	5.2
Kent	194	148	46	12.4	12.6	11.9
Montgomery	2,690	2,544	146	6.0	5.9	8.4
Prince Georges	3,077	2,778	299	5.3	5.3	5.3
Queen Annes	203	153	50	11.3	11.6	10.6
Saint Marys	299	219	80	6.9	6.2	9.7
Somerset	281	195	86	14.4	15.9	11.9
Talbot	311	227	84	14.1	14.0	14.4
Washington	982	952	30	9.2	9.2	9.0
Wicomico	592	473	119	11.2	11.6	10.0
Worcester	312	214	98	12.0	12.3	11.4

*Death rates are per 1,000 population.

TABLE 22. DEATHS AND DEATH RATES BY AGE AND RACE, THREE MARYLAND AREAS, 1967

Area of Residence	Race	All Ages	DEATHS BY AGE					
			Under One Year	1 - 4	5-17	18-44	45-64	65 & Over
Maryland State	All deaths	31,159	1,545	276	456	2,774	8,896	17,212
	White	25,280	1,037	202	327	1,836	6,890	14,988
	Nonwhite	5,879	508	74	129	938	2,006	2,224
Baltimore City	All deaths	11,201	472	68	128	1,052	3,267	6,214
	White	7,407	177	25	53	369	1,906	4,877
	Nonwhite	3,794	295	43	75	683	1,361	1,337
Total Counties	All deaths	19,958	1,073	208	328	1,722	5,629	10,998
	White	17,873	860	177	274	1,467	4,984	10,111
	Nonwhite	2,085	213	31	54	255	645	887
			DEATH RATES BY AGE (Per 1,000 population)					
Maryland State	All deaths	8.4	22.2	0.9	0.5	2.1	12.4	63.3
	White	8.2	19.1	0.8	0.4	1.7	11.2	62.5
	Nonwhite	9.4	33.3	1.1	0.7	4.4	19.6	69.5
Baltimore City	All deaths	12.3	25.9	0.9	0.6	3.6	16.2	67.3
	White	14.1	20.6	0.7	0.5	2.3	14.0	66.4
	Nonwhite	9.8	30.7	1.0	0.6	5.1	20.8	70.7
Total Counties	All deaths	7.2	20.9	0.9	0.4	1.7	10.9	61.3
	White	7.0	18.9	0.8	0.4	1.5	10.4	60.8
	Nonwhite	8.7	37.6	1.2	0.7	3.2	17.4	67.8

TABLE 23A. DEATHS FOR TWENTY LEADING CAUSES, BY SEX AND RACE, MARYLAND, 1967

Rank for Total Deaths	Causes of death with 7th Revision International List Number	ALL RACES			WHITE		NONWHITE	
		Total	Male	Female	Male	Female	Male	Female
	All causes	31,159	17,404	13,755	13,933	11,347	3,471	2,408
1.	Diseases of the heart (400-443)	12,597	7,037	5,560	5,994	4,754	1,043	806
2.	Malignant neoplasms (140-205)	5,635	3,066	2,569	2,488	2,190	578	379
3.	Cerebral hemorrhage and other vascular lesions (330-334)	2,413	1,058	1,355	804	1,115	254	240
4.	All accidents (800-962)	1,746	1,222	524	931	408	291	116
	Motor vehicle accidents (810-835)	794	578	216	461	173	117	43
5.	Certain diseases of early infancy (760-776)	980	580	400	384	258	196	142
6.	Influenza and pneumonia (480-493)	933	524	409	389	329	135	80
7.	Diabetes mellitus (260)	733	263	470	214	368	49	102
8.	Cirrhosis of the liver (581)	629	399	230	296	174	103	56
9.	Other diseases of circulatory system (451-468)	580	347	233	302	187	45	46
10.	Bronchopulmonic diseases (525-527)	531	404	127	346	93	58	34
11.	Arteriosclerosis (450)	489	199	290	173	277	26	13
12.	Congenital malformations (750-759)	363	190	173	146	135	44	38
13.	Suicide (963,970-979)	341	247	94	222	88	25	6
14.	Homicide (964, 980-985)	320	255	65	78	25	177	40
15.	Symptoms, senility, and ill-defined conditions (780-795)	180	107	73	78	53	29	20
16.	Nephritis, all forms (590-594)	175	98	77	64	42	34	35
17.	Hernia and intestinal obstruction (560, 561, 570)	172	76	96	53	84	23	12
18.	Tuberculosis, all forms (001-019)	170	124	46	73	24	51	22
19.	Hypertension without mention of heart (444-447)	158	89	69	55	45	34	24
20.	Ulcer of stomach and duodenum (540-541)	150	112	38	99	34	13	4

TABLE 23B. DEATHS FOR TWENTY LEADING CAUSES, BY SEX AND RACE, BALTIMORE CITY, 1967

Rank for Total Deaths	Causes of death with 7th Revision International List Number	ALL RACES			WHITE		NONWHITE	
		Total	Male	Female	Male	Female	Male	Female
	All causes	11,201	6,175	5,026	3,941	3,466	2,234	1,560
1.	Diseases of the heart (400-443)	4,482	2,346	2,136	1,702	1,601	644	535
2.	Malignant neoplasms (140-205)	1,945	1,089	856	709	593	380	263
3.	Cerebral hemorrhage and other vascular lesions (330-334)	858	387	471	219	326	168	145
4.	All accidents (800-962)	510	346	164	188	99	158	65
	Motor vehicle accidents (810-835)	186	128	58	75	39	53	19
5.	Influenza and pneumonia (480-493)	382	225	157	133	111	92	46
6.	Diabetes mellitus (260)	324	122	202	84	137	38	65
7.	Certain diseases of early infancy (760-776)	319	193	126	75	39	118	87
8.	Cirrhosis of the liver (581)	302	204	98	119	55	85	43
9.	Bronchopulmonic diseases (525-527)	215	162	53	127	28	35	25
10.	Homicide (964, 980-985)	205	167	38	29	8	138	30
11.	Other diseases of circulatory system (451-468)	197	114	83	86	56	28	27
12.	Arteriosclerosis (450)	175	62	113	48	103	14	10
13.	Tuberculosis, all forms (001-019)	110	86	24	45	8	41	16
14.	Congenital malformations (750-759)	94	45	49	21	25	24	24
15.	Suicide (963, 970-979)	82	54	28	40	22	14	6
16.	Hernia and intestinal obstruction (560, 561, 570)	74	36	38	21	31	15	7
17.	Nephritis, all forms (590-594)	71	45	26	19	8	26	18
18.	Hypertension without mention of heart (444-447)	58	27	31	9	13	18	18
19.	Benign neoplasms and neoplasms of unspecified nature (210-239)	53	22	31	14	19	8	12
20.	Ulcer of stomach and duodenum (540, 541)	50	39	11	31	9	8	2

TABLE 23C. DEATHS FOR TWENTY LEADING CAUSES, BY SEX AND RACE, TOTAL COUNTIES, 1967

Rank for Total Deaths	Causes of death with 7th Revision International List Number	ALL RACES			WHITE		NONWHITE	
		Total	Male	Female	Male	Female	Male	Female
	All causes	19,958	11,229	8,729	9,992	7,881	1,237	848
1.	Diseases of the heart (400-443)	8,115	4,691	3,424	4,292	3,153	399	271
2.	Malignant neoplasms (140-205)	3,690	1,977	1,713	1,779	1,597	198	116
3.	Cerebral hemorrhage and other vascular lesions (330-334)	1,555	671	884	585	789	86	95
4.	All accidents (800-962)	1,236	876	360	743	309	133	51
	Motor vehicle accidents (810-835)	608	450	158	386	134	64	24
5.	Certain diseases of early infancy (760-776)	661	387	274	309	219	78	55
6.	Influenza and pneumonia (480-493)	551	299	252	256	218	43	34
7.	Diabetes mellitus (260)	409	141	268	130	231	11	37
8.	Other diseases of circulatory system (451-468)	383	233	150	216	131	17	19
9.	Cirrhosis of the liver (581)	327	195	132	177	119	18	13
10.	Bronchopulmonic diseases (525-527)	316	242	74	219	65	23	9
11.	Arteriosclerosis (450)	314	137	177	125	174	12	3
12.	Congenital malformations (750-759)	269	145	124	125	110	20	14
13.	Suicide (963, 970-979)	259	193	66	182	66	11	-
14.	Symptoms, senility, and ill-defined conditions (780-795)	138	81	57	64	44	17	13
15.	Homicide (964, 980-985)	115	88	27	49	17	39	10
16.	Nephritis, all forms (590-594)	104	53	51	45	34	8	17
17.	Hypertension without mention of heart (444-447)	100	62	38	46	32	16	6
18.	Ulcer of Stomach and duodenum (540-541)	100	73	27	68	25	5	2
19.	Hernia and intestinal obstruction (560, 561, 570)	98	40	58	32	53	8	5
20.	Infections of kidney (600)	82	31	51	29	42	2	9

TABLE 24A. DEATH RATES FOR TWENTY LEADING CAUSES, BY SEX AND RACE, MARYLAND, 1967

Rank for Total Deaths	Causes of death with 7th Revision International List Number	RATES PER 100,000 POPULATION						
		ALL RACES			WHITE		NONWHITE	
		Total	Male	Female	Male	Female	Male	Female
	All causes	843.9	954.1	736.2	919.5	731.6	1,124.4	758.5
1.	Diseases of the heart (400-443)	341.2	385.8	297.6	395.6	306.5	337.9	253.9
2.	Malignant neoplasms (140-205)	152.6	168.1	137.5	164.2	141.2	187.2	119.4
3.	Cerebral hemorrhage and other vascular lesions (330-334)	65.4	58.0	72.5	53.1	71.9	82.3	75.6
4.	All accidents (800-962)	47.3	67.0	28.0	61.4	26.3	94.3	36.5
	Motor vehicle accidents (810-835)	21.5	31.7	11.6	30.4	11.2	37.9	13.5
5.	Certain diseases of early infancy (760-776)	26.5	31.8	21.4	25.3	16.6	63.5	44.7
6.	Influenza and pneumonia (480-493)	25.3	28.7	21.9	25.7	21.2	43.7	25.2
7.	Diabetes mellitus (260)	19.9	14.4	25.2	14.1	23.7	15.9	32.1
8.	Cirrhosis of the liver (581)	17.0	21.9	12.3	19.5	11.2	33.4	17.6
9.	Other diseases of circulatory system (451-468)	15.7	19.0	12.5	19.9	12.1	14.6	14.5
10.	Bronchopulmonic diseases (525-527)	14.4	22.1	6.8	22.8	6.0	18.8	10.7
11.	Arteriosclerosis (450)	13.2	10.9	15.5	11.4	17.9	8.4	4.1
12.	Congenital malformations (750-759)	9.8	10.4	9.3	9.6	8.7	14.3	12.0
13.	Suicide (963, 970-979)	9.2	13.5	5.0	14.7	5.7	8.1	1.9
14.	Homicide (964, 980-985)	8.7	14.0	3.5	5.1	1.6	57.3	12.6
15.	Symptoms, senility, and ill-defined conditions (780-795)	4.9	5.9	3.9	5.1	3.4	9.4	6.3
16.	Nephritis, all forms (590-594)	4.7	5.4	4.1	4.2	2.7	11.0	11.0
17.	Hernia and intestinal obstruction (560, 561, 570)	4.7	4.2	5.1	3.5	5.4	7.5	3.8
18.	Tuberculosis, all forms (001-019)	4.6	6.8	2.5	4.8	1.5	16.5	6.9
19.	Hypertension without mention of heart (444-447)	4.3	4.9	3.7	3.6	2.9	11.0	7.6
20.	Ulcer of stomach and duodenum (540-541)	4.1	6.1	2.0	6.5	2.2	4.2	1.3

TABLE 24B. DEATH RATES FOR TWENTY LEADING CAUSES, BY SEX AND RACE, BALTIMORE CITY, 1967

Rank for Total Deaths	Causes of death with 7th Revision International List Number	RATES PER 100,000 POPULATION						
		ALL RACES			WHITE		NONWHITE	
		Total	Male	Female	Male	Female	Male	Female
	All causes	1,231.0	1,408.0	1,066.3	1,563.7	1,275.8	1,197.6	781.3
1.	Diseases of the heart (400-443)	492.6	534.9	453.2	675.3	589.3	345.2	268.0
2.	Malignant neoplasms (140-205)	213.8	248.3	181.6	281.3	218.3	203.7	131.7
3.	Cerebral hemorrhage and other vascular lesions (330-334)	94.3	88.2	99.9	86.9	120.0	90.1	72.6
4.	All accidents (800-962)	56.1	78.9	34.8	74.6	36.4	84.7	32.6
	Motor Vehicle accidents (810-835)	20.4	29.2	12.3	29.8	14.4	28.4	9.5
5.	Influenza and pneumonia (480-493)	42.0	51.3	33.3	52.8	40.9	49.3	23.0
6.	Diabetes mellitus (260)	35.6	27.8	42.9	33.3	50.4	20.4	32.6
7.	Certain diseases of early infancy (760-776)	35.1	44.0	26.7	29.8	14.4	63.3	43.6
8.	Cirrhosis of the liver (581)	33.2	46.5	20.8	47.2	20.2	45.6	21.5
9.	Bronchopulmonic diseases (525-527)	23.6	36.9	11.2	50.4	10.3	18.8	12.5
10.	Homicide (964, 980-985)	22.5	38.1	8.1	11.5	2.9	74.0	15.0
11.	Other diseases of circulatory system (451-468)	21.7	26.0	17.6	34.1	20.6	15.0	13.5
12.	Arteriosclerosis (450)	19.2	14.1	24.0	19.0	37.9	7.5	5.0
13.	Tuberculosis, all forms (001-019)	12.1	19.6	5.1	17.9	2.9	22.0	8.0
14.	Congenital malformations (750-759)	10.3	10.3	10.4	8.3	9.2	12.9	12.0
15.	Suicide (963, 970-979)	9.0	12.3	5.9	15.9	8.1	7.5	3.0
16.	Hernia and intestinal obstruction (560, 561, 570)	8.1	8.2	8.1	8.3	11.4	8.0	3.5
17.	Nephritis, all forms (590-594)	7.8	10.3	5.5	7.5	2.9	13.9	9.0
18.	Hypertension without mention of heart (444-447)	6.4	6.2	6.6	3.6	4.8	9.6	9.0
19.	Benign neoplasms and neoplasms of unspecified nature (210-239)	5.8	5.0	6.6	5.6	7.0	4.3	6.0
20.	Ulcer of stomach and duodenum (540-541)	5.5	8.9	2.3	12.3	3.3	4.3	1.0

TABLE 24C. DEATH RATES FOR TWENTY LEADING CAUSES, BY SEX AND RACE, TOTAL COUNTIES, 1967

Rank for Total Deaths	Causes of death with 7th Revision International List Number	RATES PER 100,000 POPULATION						
		ALL RACES			WHITE		NONWHITE	
		Total	Male	Female	Male	Female	Male	Female
	All causes	717.3	810.5	624.8	790.9	616.1	1,012.5	719.7
1.	Diseases of the heart (400-443)	291.6	338.6	245.1	339.7	246.5	326.6	230.0
2.	Malignant neoplasms (140-205)	132.6	142.7	122.6	140.8	124.8	162.1	98.5
3.	Cerebral hemorrhage and other vascular lesions (330-334)	55.9	48.4	63.3	46.3	61.7	70.4	80.6
4.	All accidents (800-962)	44.4	63.2	25.8	58.8	24.2	108.9	43.3
	Motor vehicle accidents (810-835)	21.9	32.5	11.3	30.6	10.5	52.4	20.4
5.	Certain diseases of early infancy (760-776)	23.8	27.9	19.6	24.5	17.1	63.8	46.7
6.	Influenza and pneumonia (480-493)	19.8	21.6	18.0	20.3	17.0	35.2	28.9
7.	Diabetes mellitus (260)	14.7	10.2	19.2	10.3	18.1	9.0	31.4
8.	Other diseases of circulatory system (451-468)	13.8	16.8	10.7	17.1	10.2	13.9	16.1
9.	Cirrhosis of the liver (581)	11.8	14.1	9.4	14.0	9.3	14.7	11.0
10.	Bronchopulmonic diseases (525-527)	11.4	17.5	5.3	17.3	5.1	18.8	7.6
11.	Arteriosclerosis (450)	11.3	9.9	12.7	9.9	13.6	9.8	2.5
12.	Congenital malformations (750-759)	9.7	10.5	8.9	9.9	8.6	16.4	11.9
13.	Suicide (963, 970-979)	9.3	13.9	4.7	14.4	5.2	9.0	-
14.	Symptoms, senility and ill-defined conditions (780-795)	5.0	5.8	4.1	5.1	3.4	13.9	11.0
15.	Homicide (964, 980-985)	4.1	6.4	1.9	3.9	1.3	31.9	8.5
16.	Nephritis, all forms (590-594)	3.7	3.8	3.7	3.6	2.7	6.5	14.4
17.	Hypertension without mention of heart (444-447)	3.6	4.5	2.7	3.6	2.5	13.1	5.1
18.	Ulcer of stomach and duodenum (540-541)	3.6	5.3	1.9	5.4	2.0	4.1	1.7
19.	Hernia and intestinal obstruction (560, 561, 570)	3.5	2.9	4.2	2.5	4.1	6.5	4.2
20.	Infections of kidney (600)	2.9	2.2	3.7	2.3	3.3	1.6	7.6

TABLE 25. THE EIGHT LEADING CAUSES OF MALE DEATHS, IN SPECIFIED AGE GROUPS,* MARYLAND, 1967

UNDER ONE YEAR

Rank		Number	Per-cent
	All causes	900	100.0
1.	Certain diseases of early infancy	580	64.4
2.	Congenital malformations	132	14.7
3.	Bronchopulmonic diseases**	50	5.6
4.	Influenza and pneumonia**	34	3.8
5.	Symptoms, senility, and ill-defined conditions	19	2.1
6.	Accidents	13	1.4
7.	Hernia and intestional obstructions	13	1.4

AGES 1 - 4

Rank		Number	Per-cent
	All causes	151	100.0
1.	Accidents	60	39.7
2.	Congenital malformations	15	9.9
3.	Influenza and pneumonia	13	8.6
4.	Malignant neoplasms	12	7.9

AGES 5 - 17

	All causes	285	100.0
1.	Accidents	154	54.0
2.	Malignant neoplasms	32	11.2
3.	Congenital malformations	19	6.7
4.	Homicide	18	6.3

AGES 18 - 44

	All causes	1,842	100.0
1.	Accidents	530	28.8
2.	Diseases of heart	362	19.7
3.	Malignant neoplasms	192	10.4
4.	Homicide	179	9.7
5.	Suicide	118	6.4
6.	Cirrhosis of the liver	87	4.7
7.	Cerebral hemorrhage, etc.	50	2.7
8.	Influenza and pneumonia	35	1.9

AGES 45 - 64

	All causes	5,791	100.0
1.	Diseases of heart	2,510	43.3
2.	Malignant neoplasms	1,279	22.1
3.	Accidents	303	5.2
4.	Cerebral hemorrhage, etc.	275	4.7
5.	Cirrhosis of the liver	231	4.0
6.	Influenza and pneumonia	142	2.5
7.	Other diseases of circulatory system	120	2.1
8.	Bronchopulmonic diseases	113	2.0

AGES 65 & OVER

	All causes	8,435	100.0
1.	Diseases of heart	4,155	49.3
2.	Malignant neoplasms	1,550	18.4
3.	Cerebral hemorrhages, etc.	725	8.6
4.	Influenza and pneumonia	292	3.5
5.	Bronchopulmonic diseases	228	2.7
6.	Other diseases of circulatory system	209	2.5
7.	Arteriosclerosis	174	2.1
8.	Accidents	162	1.9

* Leading causes are shown only if they had ten or more deaths in a given age group.

** Excludes pneumonia of the newborn, which is included in "Certain diseases of early infancy."

TABLE 26. THE EIGHT LEADING CAUSES OF FEMALE DEATHS, IN SPECIFIED AGE GROUPS,* MARYLAND. 1967

Rank	UNDER ONE YEAR	Number	Percent
	All causes	645	100.0
1.	Certain diseases of early infancy	400	62.0
2.	Congenital malformations	118	18.3
3.	Bronchopulmonic diseases**	35	5.4
4.	Influenza and pneumonia**	31	4.8
5.	Accidents	16	2.5

Rank	AGES 1 - 4	Number	Percent
	All causes	125	100.0
1.	Accidents	31	24.8
2.	Congenital malformations	20	16.0
3.	Influenza and pneumonia	14	11.2
4.	Malignant neoplasms	14	11.2

	AGES 5 - 17		
	All causes	171	100.0
1.	Accidents	57	33.3
2.	Malignant neoplasms	29	17.0
3.	Congenital malformations	14	8.2

	AGES 18 - 44		
	All causes	932	100.0
1.	Malignant neoplasms	229	24.6
2.	Accidents	124	13.3
3.	Diseases of the heart	113	12.1
4.	Cerebral hemorrhage, etc.	66	7.1
5.	Cirrhosis of the liver	64	6.9
6.	Suicide	41	4.4
7.	Homicide	38	4.1
8.	Influenza and pneumonia	33	3.5

	AGES 45 - 64		
	All causes	3,105	100.0
1.	Malignant neoplasms	1,000	32.2
2.	Diseases of heart	959	30.9
3.	Cerebral hemorrhage, etc.	239	7.7
4.	Cirrhosis of the liver	132	4.3
5.	Accidents	122	3.9
6.	Diabetes mellitus	106	3.4
7.	Other diseases of circulatory system	61	2.0
8.	Influenza and pneumonia	45	1.4

	AGES 65 & OVER		
	All causes	8,777	100.0
1.	Diseases of the heart	4,479	51.0
2.	Malignant neoplasms	1,297	14.8
3.	Cerebral hemorrhage, etc.	1,043	11.9
4.	Diabetes mellitus	349	4.0
5.	Influenza and pneumonia	279	3.2
6.	Arteriosclerosis	277	3.2
7.	Accidents	174	2.0
8.	Other diseases of circulatory system	147	1.7

* Leading causes are shown only if they had ten or more deaths in a given age group.

** Excludes pneumonia of the newborn, which is included in "Certain diseases of early infancy."

TABLE 27. DEATHS FROM 60 SELECTED CAUSES, BY AGE, MARYLAND, 1967

Causes of death with 7th Revision International List Number	All ages	DEATHS BY AGE					
		Under one year	1 - 4	5-17	18-44	45-64	65 & over
All causes	31,159	1,545	276	456	2,774	8,896	17,212
Tuberculosis, all forms (001-019)	170	-	-	-	30	88	52
Tuberculosis of respiratory system (001-008)	156	-	-	-	28	82	46
Tuberculosis, other forms (010-019)	14	-	-	-	2	6	6
Syphilis and its sequelae (020-029)	21	-	-	-	-	11	10
Dysentery, all forms (045-048)	3	-	1	2	-	-	-
Scarlet fever and streptococcal sore throat (050-051)	-	-	-	-	-	-	-
Diphtheria (055)	-	-	-	-	-	-	-
Whooping Cough (056)	-	-	-	-	-	-	-
Meningococcal infections (057)	15	4	2	4	2	3	-
Acute poliomyelitis (080)	-	-	-	-	-	-	-
Measles (085)	-	-	-	-	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	5,635	1	26	61	421	2,279	2,847
Malignant neoplasms of buccal cavity and pharynx (140-148)	152	-	-	1	5	86	60
Malignant neoplasms of digestive organs and peritoneum, not specified as secondary (150-156A, 157-159)	1,565	-	1	3	65	562	934
Malignant neoplasm of respiratory system, not specified as secondary (160-164)	1,197	1	-	1	62	592	541
Malignant neoplasm of breast (170)	513	-	-	-	58	250	205
Malignant neoplasm of genital organs (171-179)	714	-	1	-	67	257	389

TABLE 27. (CONTINUED - 2)

Causes of death with 7th Revision International List Number	All ages	DEATHS BY AGE					
		Under one year	1 - 4	5-17	18-44	45-64	65 & over
Malignant neoplasm of urinary organs (180-181)	261	-	3	3	8	83	164
Malignant neoplasm of other and unspecified sites (156B, 165, 190-199)	735	-	12	10	69	317	327
Leukemia and aleukemia (204)	222	-	8	35	43	39	97
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203, 205)	276	-	1	8	44	93	130
Benign neoplasms and neoplasms of unspecified nature (210-239)	126	-	3	8	19	49	47
Asthma (241)	64	-	1	4	14	22	23
Diabetes mellitus (260)	733	1	-	1	30	202	499
Anemias (290-293)	72	-	4	3	9	15	41
Meningitis, except meningococcal and tuberculosis (340)	48	11	8	4	5	7	13
Major cardiovascular-renal diseases (330-334, 400-468, 592-594)	16,395	12	8	22	690	4,298	11,365
Diseases of cardiovascular system (330-334, 400-468)	16,237	11	8	19	655	4,240	11,304
Vascular lesions affecting central nervous system (330-334)	2,413	3	4	8	116	514	1,768
Diseases of heart (400-402, 410-443)	12,597	7	4	8	475	3,469	8,634
Rheumatic fever and chronic rheumatic heart diseases (400-402, 410-416)	240	-	-	2	54	114	70
Arteriosclerotic heart disease, including coronary disease (420)	7,722	-	-	1	260	2,331	5,130
Nonrheumatic chronic endocarditis and other myocardial degeneration (421-422)	2,714	2	4	1	76	509	2,122
Other diseases of heart (430-434)	523	5	-	3	39	148	328

TABLE 27. (CONTINUED - 3)

Causes of death with 7th Revision International List Number	All ages	DEATHS BY AGE					
		Under one year	1 - 4	5-17	18-44	45-64	65 & over
Hypertensive heart diseases (440-443)	1,398	-	-	1	46	367	984
Other hypertensive disease (444-447)	158	-	-	-	24	39	95
General arteriosclerosis (450)	489	-	-	-	1	37	451
Other diseases of circulatory system (451-468)	580	1	-	3	39	181	356
Chronic and unspecified nephritis and other renal sclerosis (592-594)	158	1	-	3	35	58	61
Influenza and pneumonia, except pneumonia of newborn (480-493)	933	65	27	15	68	187	571
Influenza (480-483)	12	-	-	-	1	1	10
Pneumonia, except pneumonia of newborn (490-493)	921	65	27	15	67	186	561
Bronchitis (500-502)	110	6	4	3	5	38	54
Bronchopulmonic diseases (525-527)	531	85	5	-	14	143	284
Ulcer of stomach and duodenum (540, 541)	150	-	1	-	11	57	81
Appendicitis (550-553)	24	-	-	1	5	6	12
Hernia and intestinal obstruction (560, 561, 570)	172	18	1	-	9	37	107
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543, 571, 572)	86	8	9	2	5	17	45
Cirrhosis of liver (581)	629	-	-	2	151	363	113
Cholelithiasis, cholecystitis, and cholangitis (584-585)	56	-	-	-	1	18	37
Acute nephritis, and nephritis with edema, including nephrosis (590, 591)	17	-	1	2	7	2	5
Infections of kidney (600)	124	1	-	-	8	30	85

TABLE 27. (CONTINUED - 4)

Causes of death with 7th Revision International List Number	All ages	DEATHS BY AGE					
		Under one year	1 - 4	5-17	18-44	45-64	65 & over
Hyperplasis of prostate (610)	37	-	-	-	-	3	34
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	16	-	-	3	13	-	-
Abortion (650-652)	3	-	-	2	1	-	-
Other complications of pregnancy, childbirth and the puerperium (640-649, 660-689)	13	-	-	1	12	-	-
Congenital malformations (750-759)	363	250	35	33	23	17	5
Certain diseases of early infancy (760-776)	980	980	-	-	-	-	-
Birth injuries, postnatal asphyxia, and atelectasis (760-762)	306	306	-	-	-	-	-
Infections of newborn (763-768)	53	53	-	-	-	-	-
Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	621	621	-	-	-	-	-
Symptoms, senility, and ill-defined conditions (780-795)	180	28	3	3	26	46	74
Accidents (E800-E962)	1,746	29	91	211	654	425	336
Motor Vehicle accidents (E810-E835)	794	4	27	110	389	179	85
Other accidents (E800-E802, E840-E962)	952	25	64	101	265	246	251
Suicide (E963, E970-E979)	341	-	-	7	159	130	45
Homicide (E964, E980-E985)	320	3	3	24	217	63	10
All other diseases	1,062	43	43	41	178	340	417

TABLE 28. DEATHS FOR SELECTED CAUSES, BY POLITICAL SUBDIVISION, 1967

Area of Residence	All causes of death	Diseases of the heart	Malignant neoplasms	Cerebral hemorrhage and other vascular lesions	Accidents			Certain diseases of early infancy	Influenza and pneumonia	Diabetes mellitus
					All accds	Motor veh.	All other accds			
Maryland State	31,159	12,597	5,635	2,413	1,746	794	952	980	933	733
Baltimore City	11,201	4,482	1,945	858	510	186	324	319	382	324
Total Counties	19,958	8,115	3,690	1,555	1,236	608	628	661	551	409
Allegany	1,012	555	163	57	41	18	23	13	22	20
Anne Arundel	1,741	647	349	118	113	68	45	63	54	41
Baltimore	4,120	1,745	863	273	219	108	111	120	99	106
Calvert	200	61	33	17	17	8	9	5	9	4
Caroline	270	106	45	29	19	8	11	7	9	2
Carroll	573	252	114	43	38	24	14	13	14	12
Cecil	450	178	66	36	34	10	24	18	14	11
Charles	299	99	41	26	27	14	13	13	11	13
Dorchester	388	168	63	30	20	3	17	14	13	7
Frederick	799	337	139	91	38	18	20	26	20	17
Garrett	205	102	28	18	19	5	14	5	3	6
Harford	650	280	111	38	52	25	27	24	14	16
Howard	310	128	50	35	27	17	10	14	4	4
Kent	194	94	30	21	12	2	10	1	3	2
Montgomery	2,690	1,052	565	240	130	62	68	73	66	38
Prince Georges	3,077	1,115	566	198	235	126	109	179	68	53
Queen Annes	203	71	35	16	14	9	5	5	8	1
Saint Marys	299	93	35	19	35	23	12	19	20	8
Somerset	281	105	50	39	22	5	17	4	13	2
Talbot	311	118	61	33	13	7	6	5	14	2
Washington	982	441	138	89	54	20	34	22	34	25
Wicomico	592	238	102	58	43	19	24	12	27	10
Worcester	312	130	43	31	14	9	5	6	12	9

TABLE 28. (CONTINUED)

Area of Residence	Arterio-sclerosis	Con-genital malforma-tions	Cirrhosis of the liver	Tubercu-losis, all forms	Syphilis, all forms	Alcohol-ism	Nephritis, all forms	Mater-nal deaths	Sui-cide	Homi-cide
Maryland State	489	363	629	170	21	65	175	16	341	320
Baltimore City	175	94	302	110	13	22	71	8	82	205
Total Counties	314	269	327	60	8	43	104	8	259	115
Allegany	22	7	5	2	-	1	5	-	8	1
Anne Arundel	50	25	21	5	2	6	19	-	23	3
Baltimore	39	55	58	13	2	3	16	-	45	17
Calvert	2	1	2	1	-	-	1	2	1	1
Caroline	6	1	1	-	-	1	2	-	2	1
Carroll	8	6	5	1	-	-	2	-	9	3
Cecil	7	8	5	1	-	1	8	-	8	5
Charles	3	3	6	3	-	-	1	-	4	2
Dorchester	2	2	5	2	-	2	3	-	6	7
Frederick	9	10	9	2	-	6	5	-	8	1
Garrett	9	3	-	-	-	-	-	-	2	1
Harford	12	13	14	5	-	1	2	-	13	6
Howard	2	1	4	1	-	-	4	-	7	-
Kent	1	3	2	-	-	1	-	-	4	-
Montgomery	49	46	68	6	2	3	7	2	43	10
Prince Georges	42	46	77	7	1	5	12	4	46	31
Queen Annes	5	7	3	1	-	-	-	-	1	1
Saint Marys	4	8	10	-	-	2	5	-	2	6
Somerset	10	5	2	1	-	3	1	-	-	-
Talbot	6	1	1	1	-	4	2	-	-	1
Washington	18	10	15	4	-	3	3	-	14	3
Wicomico	7	5	9	3	-	1	4	-	4	10
Worcester	1	3	5	1	1	-	2	-	9	5

TABLE 29. ACCIDENTAL DEATHS BY TYPE OF ACCIDENT AND AGE, MARYLAND, 1967

Type of Accident (with 7th Revision International List Number)	All ages	DEATHS BY AGE						
		Under 1 Year	1-4	5-14	15-24	25-44	45-64	65 & Over
All Accidents (E800-E962)	1,746	29	91	147	301	417	425	336
Motor vehicle accidents (E810-E835)	794	4	27	71	215	213	179	85
Traffic accident to pedestrian (E812)	173	-	12	38	9	35	48	31
Traffic accident to motorcyclist (E814, E815, E821)	32	-	1	-	18	13	-	-
Collision with other motor vehicle (E816)	233	2	7	9	55	76	55	29
Collision with railroad train (E810)	9	-	-	1	1	3	4	-
Collision with fixed object (E819)	53	-	-	-	25	13	14	1
Running off roadway (E823)	113	1	1	1	47	30	27	6
Other and unspecified (E811, E813, E817, E818, E820, E822, E824-E835)	181	1	6	22	60	43	31	18
Other transport accidents (E800-E802, E840-E866)	77	-	1	7	10	36	17	6
Railroad accidents (E800-E802)	17	-	-	2	1	4	6	4
Other road vehicle accidents (E840-E845)	4	-	-	1	-	2	1	-
Water transport accidents (E850-E858)	22	-	1	3	4	8	5	1
Aircraft accidents (E860-E866)	34	-	-	1	5	22	5	1
Accidental poisoning by solid and liquid substances (E870-E888)	31	-	2	-	8	13	6	2
Accidental poisoning by gases and vapors (E890-E895)	17	-	-	-	5	8	3	1
Accidental falls (E900-E904)	322	6	8	4	3	41	90	170
Blow from falling object (E910)	17	-	1	1	1	5	7	2
Accident caused by machinery (E912)	26	-	1	1	4	8	7	5
Accident caused by electric current (E914)	17	-	1	4	5	3	4	-
Accident caused by fire and explosion (E916)	154	1	31	19	4	24	45	30
Accident caused by firearm (E919)	30	-	2	5	9	7	7	-
Accident caused by suffocation (E921, E922, E924, E925)	59	11	4	7	7	13	7	10
Accidental drowning (E929)	101	2	9	24	25	19	18	4
All other accidental causes (Residual)	101	5	4	4	5	27	35	21

TABLE 30.

ACCIDENTAL DEATHS BY TYPE OF ACCIDENT AND PLACE OF RESIDENCE AND OCCURRENCE, THREE MARYLAND AREAS, 1967

Type of Accident (with 7th Revision International List Number)	PLACE OF RESIDENCE			PLACE OF OCCURRENCE		
	Total State	Baltimore City	Total Counties	Total State	Baltimore City	Total Counties
All Accidents (E800-E962)	1,746	510	1,236	1,764	627	1,137
Motor vehicle accidents (E810-E835)	794	186	608	811	250	561
Traffic accident to pedestrian (E812)	173	67	106	170	85	85
Traffic accident to motorcyclist (E814, E815, E821)	32	5	27	29	9	20
Collision with other motor vehicle (E816)	233	61	172	225	69	156
Collision with railroad train (E810)	9	-	9	11	-	11
Collision with fixed object (E819)	53	10	43	70	32	38
Running off roadway (E823)	113	18	95	121	29	92
Other and unspecified (E811, E813, E817, E818, E820, E822, E824-E835)	181	25	156	185	26	159
Other transport accidents (E800-E802, E840-E866)	77	18	59	78	16	62
Railroad accidents (E800-E802)	17	8	9	18	8	10
Other road vehicle accidents (E840-E845)	4	-	4	5	-	5
Water transport accidents (E850-E858)	22	8	14	30	8	22
Aircraft accidents (E860-E866)	34	2	32	25	-	25
Accidental poisoning by solid and liquid substances (E870-E888)	31	21	10	28	21	7
Accidental poisoning by gases and vapors (E890-E895)	17	7	10	18	6	12
Accidental falls (E900-E904)	322	136	186	316	162	154
Blow from falling object (E910)	17	2	15	14	4	10
Accident caused by machinery (E912)	26	4	22	26	4	22
Accident caused by electric current (E914)	17	3	14	17	4	13
Accident caused by fire and explosion (E916)	154	51	103	150	74	76
Accident caused by firearm (E919)	30	6	24	28	6	22
Accident caused by suffocation (E921, E922, E924, E925)	59	11	48	61	11	50
Accidental drowning (E929)	101	28	73	123	22	101
All other accidental causes (Residual)	101	37	64	94	47	47

TABLE 31. DEATHS BY MONTH OF DEATH AND RACE, THREE MARYLAND AREAS, 1967

Area of Residence	Race	All Months	MONTH OF DEATH											
			Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Maryland State	All deaths	31,159	2,717	2,471	2,683	2,636	2,559	2,493	2,544	2,454	2,448	2,595	2,658	2,901
	White	25,280	2,202	2,009	2,170	2,124	2,105	2,022	2,064	2,009	1,975	2,105	2,162	2,333
	Nonwhite	5,879	515	462	513	512	454	471	480	445	473	490	496	568
Baltimore City	All deaths	11,201	970	898	973	983	881	913	888	885	890	938	939	1,043
	White	7,407	644	595	632	645	586	625	579	602	570	627	611	691
	Nonwhite	3,794	326	303	341	338	295	288	309	283	320	311	328	352
Total Counties	All deaths	19,958	1,747	1,573	1,710	1,653	1,678	1,580	1,656	1,569	1,558	1,657	1,719	1,858
	White	17,873	1,558	1,414	1,538	1,479	1,519	1,397	1,485	1,407	1,405	1,478	1,551	1,642
	Nonwhite	2,085	189	159	172	174	159	183	171	162	153	179	168	216

TABLE 32. DEATHS BY HOSPITALIZATION, RACE, AND POLITICAL SUBDIVISION, 1967

Area of Residence	NUMBER OF HOSPITAL DEATHS*			PERCENT OF ALL DEATHS OCCURRING IN HOSPITALS			LOCATION OF HOSPITAL			
	Total	White	Non-white	Total	White	Non-white	County Same As Residence	Other County	Baltimore City	Other States
Maryland State	22,163	18,073	4,090	71.1	71.5	69.6	7,195	3,303	9,363	2,302
Baltimore City	8,106	5,389	2,717	72.4	72.8	71.6	-	1,336	6,661	109
Total Counties	14,057	12,684	1,373	70.4	71.0	65.9	7,195	1,967	2,702	2,193
Allegany	755	746	9	74.6	74.5	81.8	596	53	14	92
Anne Arundel	1,273	1,070	203	73.1	73.7	70.0	713	139	365	56
Baltimore	2,886	2,786	100	70.0	70.2	66.7	911	106	1,804	65
Calvert	157	108	49	78.5	79.4	76.6	95	32	21	9
Caroline	172	131	41	63.7	66.8	55.4	6	130	9	27
Carroll	359	351	8	62.7	63.7	36.4	182	57	68	52
Cecil	319	298	21	70.9	71.1	67.7	182	66	27	44
Charles	209	136	73	69.9	72.0	66.4	92	48	18	51
Dorchester	267	179	88	68.8	66.8	73.3	203	42	13	9
Frederick	533	477	56	66.7	66.3	70.9	377	81	23	52
Garrett	109	109	-	53.2	53.2	-	71	14	1	23
Harford	437	388	49	67.2	67.1	68.1	252	67	95	23
Howard	194	180	14	62.6	62.9	58.3	8	84	89	13
Kent	116	93	23	59.8	62.8	50.0	63	31	12	10
Montgomery	1,955	1,857	98	72.7	73.0	67.1	1,242	117	19	577
Prince Georges	2,278	2,078	200	74.0	74.8	66.9	940	355	33	950
Queen Annes	127	101	26	62.6	66.0	52.0	6	100	13	8
Saint Marys	212	154	58	70.9	70.3	72.5	149	29	20	14
Somerset	175	127	48	62.3	65.1	55.8	51	110	3	11
Talbot	229	166	63	73.6	73.1	75.0	156	57	11	5
Washington	682	661	21	69.5	69.4	70.0	548	47	24	63
Wicomico	419	354	65	70.8	74.8	54.6	338	43	7	31
Worcester	194	134	60	62.2	62.6	61.2	14	159	13	8

*Hospitals include other institutions, such as nursing homes.

TABLE 33. DEATHS BY PLACE OF RESIDENCE AND OCCURRENCE, RACE, AND POLITICAL SUBDIVISION, 1967

Area	DEATHS BY AREA OF RESIDENCE			DEATHS IN MARYLAND BY AREA OF DEATH		
	Total	White	Non-white	Total	White	Non-white
Maryland State	31,159	25,280	5,879	30,728	24,714	6,014
Baltimore City	11,201	7,407	3,794	12,808	9,070	3,738
Total Counties	19,958	17,873	2,085	17,920	15,644	2,276
Allegany	1,012	1,001	11	962	951	11
Anne Arundel	1,741	1,451	290	1,433	1,148	285
Baltimore	4,120	3,970	150	3,371	3,081	290
Calvert	200	136	64	163	117	46
Caroline	270	196	74	97	68	29
Carroll	573	551	22	739	684	55
Cecil	450	419	31	470	409	61
Charles	299	189	110	210	130	80
Dorchester	388	268	120	496	359	137
Frederick	799	720	79	725	653	72
Garrett	205	205	-	212	211	1
Harford	650	578	72	555	491	64
Howard	310	286	24	127	121	6
Kent	194	148	46	179	133	46
Montgomery	2,690	2,544	146	3,066	2,863	203
Prince Georges	3,077	2,778	299	2,068	1,740	328
Queen Annes	203	153	50	86	66	20
Saint Marys	299	219	80	255	188	67
Somerset	281	195	86	152	101	51
Talbot	311	227	84	422	313	109
Washington	982	952	30	1,051	1,017	34
Wicomico	592	473	119	927	685	242
Worcester	312	214	98	154	115	39

TABLE 34. DEATHS TO RESIDENTS OF MARYLAND, AND DEATHS OCCURRING IN MARYLAND, BY AREA OF RESIDENCE AND AREA OF OCCURRENCE, 1967

Area of Residence	AREA OF OCCURRENCE OF DEATH						
		State Of Maryland					
	All Areas of Occurrence	State Total	Md. County Same As Residence	Md. County Other Than Residence	Baltimore City	District of Columbia	Other States
Maryland State	31,159	28,538	12,395	3,672	12,471	1,611	1,010
Baltimore City	11,201	11,044	xxx	1,449	9,595	24	133
Total Counties	19,958	17,494	12,395	2,223	2,876	1,587	877
Allegany	1,012	912	844	54	14	4	96
Anne Arundel	1,741	1,671	1,131	157	383	33	37
Baltimore	4,120	4,015	1,939	142	1,934	12	93
Calvert	200	191	136	33	22	6	3
Caroline	270	242	91	142	9	-	28
Carroll	573	519	382	67	70	4	50
Cecil	450	399	293	79	27	2	49
Charles	299	247	175	54	18	48	4
Dorchester	388	378	314	50	14	-	10
Frederick	799	742	628	89	25	6	51
Garrett	205	179	159	19	1	-	26
Harford	650	622	450	72	100	7	21
Howard	310	293	94	105	94	4	13
Kent	194	182	138	32	12	1	11
Montgomery	2,690	2,053	1,894	138	21	510	127
Prince Georges	3,077	2,038	1,596	406	36	928	111
Queen Annes	203	194	71	110	13	-	9
Saint Marys	299	284	231	31	22	13	2
Somerset	281	266	145	118	3	1	14
Talbot	311	304	235	58	11	1	6
Washington	982	908	832	51	25	5	69
Wicomico	592	557	499	49	9	2	33
Worcester	312	298	118	167	13	-	14
Out of State	xxx	2,190	xxx	1,853	337	xxx	xxx
All Areas of Residence	xxx	30,728	12,395	5,525	12,808	xxx	xxx

TABLE 35.

FETAL DEATHS AND FETAL DEATH RATES BY RACE AND POLITICAL SUBDIVISION, 1967

Area of Residence	NUMBER OF FETAL DEATHS			FETAL DEATH RATES*		
	Total	White	Non-white	Total	White	Non-white
Maryland State	1,037	697	340	14.7	12.7	21.4
Baltimore City	316	107	209	17.3	12.9	20.9
Total Counties	721	590	131	13.7	12.7	22.1
Allegany	24	23	1	18.7	18.3	40.0
Anne Arundel	56	41	15	11.1	9.4	21.4
Baltimore	124	119	5	12.8	12.7	13.6
Calvert	16	7	9	34.3	34.7	34.1
Caroline	8	2	6	24.0	8.4	61.9
Carroll	22	20	2	19.9	19.0	37.7
Cecil	20	16	4	17.7	15.3	48.8
Charles	16	8	8	15.6	12.9	19.8
Dorchester	5	2	3	11.1	8.2	14.5
Frederick	19	17	2	13.2	13.2	13.4
Garrett	4	4	-	10.9	10.9	-
Harford	37	26	11	18.1	14.2	52.6
Howard	14	11	3	16.0	14.0	32.6
Kent	2	-	2	8.4	-	23.5
Montgomery	83	79	4	11.0	11.2	8.1
Prince Georges	199	166	33	14.0	13.1	21.2
Queen Annes	2	2	-	8.2	11.6	-
Saint Marys	18	10	8	14.6	10.3	30.4
Somerset	4	-	4	14.8	-	28.2
Talbot	4	2	2	12.8	9.9	18.2
Washington	23	22	1	12.7	12.5	19.2
Wicomico	13	8	5	15.2	13.7	18.5
Worcester	8	5	3	18.2	22.8	13.6

*Fetal death rates are per 1,000 total births.

TABLE 36. INFANT DEATHS AND INFANT DEATH RATES BY RACE AND POLITICAL SUBDIVISION, 1967

Area of Residence	NUMBER OF INFANT DEATHS			INFANT DEATH RATES*		
	Total	White	Non-white	Total	White	Non-white
Maryland State	1,545	1,037	508	22.2	19.1	32.6
Baltimore City	472	177	295	26.2	21.6	30.2
Total Counties	1,073	860	213	20.7	18.7	36.8
Allegany	25	25	-	19.9	20.2	-
Anne Arundel	105	77	28	21.1	17.9	40.8
Baltimore	183	171	12	19.1	18.5	33.1
Calvert	10	1	9	22.2	5.1	35.3
Caroline	11	4	7	33.7	17.0	76.9
Carroll	21	21	-	19.4	20.4	-
Cecil	30	29	1	27.0	28.1	12.8
Charles	26	7	19	25.8	11.4	47.9
Dorchester	22	6	16	49.3	24.8	78.4
Frederick	38	22	16	26.8	17.3	108.8
Garrett	10	10	-	27.5	27.5	-
Harford	43	36	7	21.4	19.9	35.4
Howard	16	14	2	18.6	18.1	22.5
Kent	4	4	-	16.9	26.1	-
Montgomery	122	112	10	16.3	16.1	20.5
Prince Georges	270	230	40	19.2	18.4	26.2
Queen Annes	11	9	2	45.3	52.9	27.4
Saint Marys	35	25	10	28.7	26.0	39.2
Somerset	9	2	7	33.7	15.5	50.7
Talbot	9	2	7	29.1	10.0	64.8
Washington	41	39	2	22.9	22.5	39.2
Wicomico	21	12	9	25.0	20.9	34.0
Worcester	11	2	9	25.5	9.3	41.5

*Infant death rates are per 1,000 live births

TABLE 37.

NEONATAL DEATHS, NEONATAL DEATH RATES, AND PERINATAL DEATH RATES BY RACE AND POLITICAL SUBDIVISION, 1967

Area of Residence	NUMBER OF NEONATAL DEATHS			NEONATAL DEATH RATES*			PERINATAL DEATH RATES*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Maryland State	1,173	794	379	16.8	14.7	24.4	31.2	27.2	45.2
Baltimore City	373	135	238	20.7	16.4	24.4	37.6	29.1	44.8
Total Counties	800	659	141	15.5	14.3	24.4	29.0	26.8	46.0
Allegany	15	15	-	11.9	12.1	-	30.4	30.2	40.0
Anne Arundel	80	62	18	16.0	14.4	26.2	27.0	23.7	47.0
Baltimore	144	136	8	15.0	14.7	22.1	27.6	27.3	35.4
Calvert	5	-	5	11.1	-	19.6	45.1	34.7	53.0
Caroline	9	4	5	27.6	17.0	54.9	50.9	25.3	113.4
Carroll	17	17	-	15.7	16.5	-	35.4	35.2	37.7
Cecil	25	24	1	22.5	23.3	12.8	39.8	38.2	61.0
Charles	13	4	9	12.9	6.5	22.7	28.3	19.4	42.0
Dorchester	16	5	11	35.9	20.7	53.9	46.6	28.7	67.6
Frederick	29	16	13	20.5	12.6	88.4	33.4	25.6	100.7
Garrett	6	6	-	16.5	16.5	-	27.2	27.2	-
Harford	29	24	5	14.5	13.3	25.3	32.3	27.3	76.6
Howard	14	12	2	16.2	15.5	22.5	32.0	29.3	54.3
Kent	1	1	-	4.2	6.5	-	12.6	6.5	23.5
Montgomery	95	89	6	12.7	12.8	12.3	23.6	23.8	20.4
Prince Georges	215	186	29	15.3	14.9	19.0	29.1	27.8	39.8
Queen Annes	8	7	1	32.9	41.2	13.7	40.8	52.3	13.7
Saint Marys	23	17	6	18.9	17.7	23.5	33.2	27.7	53.2
Somerset	5	2	3	18.7	15.5	21.7	33.2	15.5	49.3
Talbot	6	1	5	19.4	5.0	46.3	31.9	14.8	63.6
Washington	25	24	1	14.0	13.8	19.6	26.5	26.2	38.5
Wicomico	13	6	7	15.5	10.4	26.4	30.5	24.0	44.4
Worcester	7	1	6	16.2	4.7	27.6	34.2	27.4	40.9

* Neonatal Death Rates are per 1,000 Live Births; Perinatal Death Rates are per 1,000 Total Births.

TABLE 38. MARRIAGES BY RESIDENT STATUS AND TYPE OF CEREMONY, BY POLITICAL SUBDIVISION OF OCCURRENCE, 1967

Area of Occurrence	MARRIAGES BY RESIDENCE*				TYPE OF CEREMONY		
			Non-residents**			Civil	
	Total	Maryland Residents	Number	Per-cent	Religious	Number	Per-cent
Maryland State	48,894	31,837	17,057	34.9	36,810	12,084	24.7
Baltimore City	10,243	9,332	911	8.9	8,414	1,829	17.9
Total Counties	38,651	22,505	16,146	41.8	28,396	10,255	26.5
Allegany	2,346	825	1,521	64.8	1,860	486	20.7
Anne Arundel	2,298	1,992	306	13.3	1,900	398	17.3
Baltimore	4,585	4,100	485	10.6	3,996	589	12.8
Calvert	156	150	6	3.8	142	14	9.0
Caroline	446	220	226	50.7	419	27	6.1
Carroll	755	543	212	28.1	584	171	22.6
Cecil	7,450	864	6,586	88.4	4,019	3,431	46.1
Charles	505	332	173	34.3	338	167	33.1
Dorchester	270	256	14	5.2	262	8	3.0
Frederick	1,035	769	266	25.7	863	172	16.6
Garrett	1,573	263	1,310	83.3	1,070	503	32.0
Harford	1,360	850	510	37.5	889	471	34.6
Howard	709	660	49	6.9	537	172	24.3
Kent	202	152	50	24.8	171	31	15.3
Montgomery	4,914	3,541	1,373	27.9	3,509	1,405	28.6
Prince Georges	5,138	4,196	942	18.3	3,927	1,211	23.6
Queen Annes	131	117	14	10.7	116	15	11.5
Saint Marys	426	391	35	8.2	301	125	29.3
Somerset	234	184	50	21.4	220	14	6.0
Talbot	239	207	32	13.4	216	23	9.6
Washington	2,635	1,087	1,548	58.7	1,932	703	26.7
Wicomico	778	560	218	28.0	703	75	9.6
Worcester	466	246	220	47.2	422	44	9.4

*Marriages refer to the number of ceremonies performed in Maryland Areas - not the number of persons married.

**Both partners were non-residents of Maryland.

TABLE 39. MARRIAGES BY AGE OF ALL BRIDES AND PREVIOUS MARITAL STATUS AND RACE, MARYLAND, 1967

Age of Bride	All Marriages	PREVIOUS MARITAL STATUS		
		Never Married	Widowed	Divorced
Total Marriages	48,894	37,386	2,746	8,762
Under 15	85	85	-	-
15 - 17	4,461	4,450	1	10
18 - 19	13,038	12,848	18	172
20 - 21	9,601	9,117	26	458
22 - 24	6,796	5,610	69	1,117
25 - 29	4,563	2,604	132	1,827
30 - 34	2,569	968	171	1,430
35 - 39	2,107	581	251	1,275
40 - 44	1,822	420	345	1,057
45 - 54	2,492	479	898	1,115
55 & over	1,356	221	835	300
Not stated	4	3	-	1
Total White	40,660	30,776	2,286	7,598
Under 15	68	68	-	-
15 - 17	3,680	3,669	1	10
18 - 19	11,335	11,145	18	172
20 - 21	8,362	7,901	24	437
22 - 24	5,763	4,660	60	1,043
25 - 29	3,530	1,791	122	1,617
30 - 34	1,918	563	138	1,217
35 - 39	1,586	332	196	1,058
40 - 44	1,372	224	270	878
45 - 54	1,948	270	752	926
55 & over	1,094	150	705	239
Not stated	4	3	-	1
Total Nonwhite	8,234	6,610	460	1,164
Under 15	17	17	-	-
15 - 17	781	781	-	-
18 - 19	1,703	1,703	-	-
20 - 21	1,239	1,216	2	21
22 - 24	1,033	950	9	74
25 - 29	1,033	813	10	210
30 - 34	651	405	33	213
35 - 39	521	249	55	217
40 - 44	450	196	75	179
45 - 54	544	209	146	189
55 & over	262	71	130	61
Not stated	-	-	-	-

TABLE 40. MARRIAGES BY AGE OF RESIDENT BRIDES AND PREVIOUS MARITAL STATUS AND RACE, MARYLAND, 1967

Age of Bride	All Marriages	PREVIOUS MARITAL STATUS		
		Never Married	Widowed	Divorced
Total Marriages	30,015	23,579	1,496	4,940
Under 15	54	54	-	-
15 - 17	2,945	2,938	1	6
18 - 19	7,874	7,791	8	75
20 - 21	6,426	6,139	19	268
22 - 24	4,689	3,949	40	700
25 - 29	2,783	1,590	83	1,110
30 - 34	1,375	451	109	815
35 - 39	1,100	246	131	723
40 - 44	897	177	177	543
45 - 54	1,224	180	469	575
55 & over	646	62	459	125
Not stated	2	2	-	-
Total White	24,824	19,355	1,250	4,219
Under 15	44	44	-	-
15 - 17	2,391	2,384	1	6
18 - 19	6,661	6,578	8	75
20 - 21	5,567	5,295	17	255
22 - 24	3,996	3,319	34	643
25 - 29	2,153	1,114	75	964
30 - 34	1,033	251	88	694
35 - 39	832	145	103	584
40 - 44	671	90	140	441
45 - 54	962	94	404	464
55 & over	512	39	380	93
Not stated	2	2	-	-
Total Nonwhite	5,191	4,224	246	721
Under 15	10	10	-	-
15 - 17	554	554	-	-
18 - 19	1,213	1,213	-	-
20 - 21	859	844	2	13
22 - 24	693	630	6	57
25 - 29	630	476	8	146
30 - 34	342	200	21	121
35 - 39	268	101	28	139
40 - 44	226	87	37	102
45 - 54	262	86	65	111
55 & over	134	23	79	32
Not stated	-	-	-	-

TABLE 41. MARRIAGES BY AGE OF ALL GROOMS AND PREVIOUS MARITAL STATUS AND RACE, MARYLAND, 1967

Age of Groom	All Marriages	PREVIOUS MARITAL STATUS		
		Never Married	Widowed	Divorced
Total Marriages	48,894	36,965	2,341	9,588
15 - 17	605	605	-	-
18 - 19	6,024	6,014	1	9
20 - 21	9,476	9,324	5	147
22 - 24	11,148	10,428	19	701
25 - 29	7,791	5,929	58	1,804
30 - 34	3,541	1,820	66	1,655
35 - 39	2,665	1,034	137	1,494
40 - 44	2,260	682	205	1,373
45 - 54	2,975	694	626	1,655
55 & over	2,396	431	1,223	742
Not stated	13	4	1	8
Total White	40,590	30,473	1,838	8,279
15 - 17	510	510	-	-
18 - 19	5,074	5,064	1	9
20 - 21	8,274	8,124	5	145
22 - 24	9,596	8,922	16	658
25 - 29	6,423	4,761	42	1,620
30 - 34	2,775	1,294	48	1,433
35 - 39	2,041	681	96	1,264
40 - 44	1,742	440	149	1,153
45 - 54	2,281	416	492	1,373
55 & over	1,866	258	988	620
Not stated	8	3	1	4
Total Nonwhite	8,304	6,492	503	1,309
15 - 17	95	95	-	-
18 - 19	950	950	-	-
20 - 21	1,202	1,200	-	2
22 - 24	1,552	1,506	3	43
25 - 29	1,368	1,168	16	184
30 - 34	766	526	18	222
35 - 39	624	353	41	230
40 - 44	518	242	56	220
45 - 54	694	278	134	282
55 & over	530	173	235	122
Not stated	5	1	-	4

TABLE 42. MARRIAGES BY AGE OF RESIDENT GROOMS AND PREVIOUS MARITAL STATUS AND RACE, MARYLAND, 1967

Age of Groom	All Marriages	PREVIOUS MARITAL STATUS		
		Never Married	Widowed	Divorced
Total Marriages	27,727	21,476	1,294	4,957
15 - 17	362	362	-	-
18 - 19	3,778	3,770	1	7
20 - 21	5,548	5,479	3	66
22 - 24	6,604	6,188	12	404
25 - 29	4,578	3,516	35	1,027
30 - 34	1,926	977	44	905
35 - 39	1,330	477	84	769
40 - 44	1,095	302	120	673
45 - 54	1,409	263	355	791
55 & over	1,089	142	639	308
Not stated	8	-	1	7
Total White	22,670	17,434	1,021	4,215
15 - 17	300	300	-	-
18 - 19	3,111	3,103	1	7
20 - 21	4,713	4,645	3	65
22 - 24	5,560	5,182	9	369
25 - 29	3,724	2,778	26	920
30 - 34	1,484	690	32	762
35 - 39	1,013	315	58	640
40 - 44	823	192	89	542
45 - 54	1,097	153	284	660
55 & over	840	76	518	246
Not stated	5	-	1	4
Total Nonwhite	5,057	4,042	273	742
15 - 17	62	62	-	-
18 - 19	667	667	-	-
20 - 21	835	834	-	1
22 - 24	1,044	1,006	3	35
25 - 29	854	738	9	107
30 - 34	442	287	12	143
35 - 39	317	162	26	129
40 - 44	272	110	31	131
45 - 54	312	110	71	131
55 & over	249	66	121	62
Not stated	3	-	-	3

TABLE 43. MARRIAGES BY AGE OF BRIDE AND AGE OF GROOM, MARYLAND, 1967

Age of Groom	All Ages	AGE OF BRIDE										
		Under 15	15	16	17	18	19	20	21	22	23	24
Total	48,894	85	357	1,559	2,545	6,643	6,395	5,988	3,613	2,831	2,185	1,780
15	8	1	2	4	-	-	1	-	-	-	-	-
16	86	7	24	19	17	17	2	-	-	-	-	-
17	511	13	71	159	132	97	24	9	5	-	-	-
18	2,505	27	96	420	527	863	373	143	28	13	5	4
19	3,519	15	68	318	580	1,133	840	387	86	32	17	21
20	4,099	7	35	224	449	1,116	1,055	797	234	77	49	16
21	5,377	4	31	177	298	1,261	1,256	1,184	630	254	97	64
22	4,229	4	10	73	176	698	843	931	607	454	158	104
23	3,764	2	4	52	130	447	669	769	507	468	322	139
24	3,155	-	8	34	71	346	414	570	437	386	319	244
25	2,366	1	2	17	49	206	284	368	272	268	248	215
26	1,729	1	2	11	30	125	168	206	197	182	187	169
27	1,464	2	-	8	21	87	128	150	144	154	159	148
28	1,275	-	2	11	20	57	82	111	127	125	122	134
29	957	-	1	10	11	45	43	77	65	92	90	89
30 - 34	3,541	-	1	12	24	89	138	182	178	182	257	251
35 - 39	2,665	-	-	9	6	35	51	56	59	82	96	105
40 - 44	2,260	-	-	-	1	9	18	27	23	46	35	48
45 - 49	1,722	-	-	1	1	7	3	9	9	9	16	16
50 - 54	1,253	-	-	-	1	2	-	4	3	2	2	9
55 & over	2,396	1	-	-	1	3	1	4	1	4	5	4
Not stated	13	-	-	-	-	-	2	4	1	1	1	-

TABLE 43. (CONTINUED)

Age of Groom	AGE OF BRIDE											
	25	26	27	28	29	30-34	35-39	40-44	45-49	50-54	55 & Over	Not Stated
Total	1,306	1,008	825	749	675	2,569	2,107	1,822	1,470	1,022	1,356	4
15	-	-	-	-	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-
17	-	-	1	-	-	-	-	-	-	-	-	-
18	-	2	1	-	1	1	1	-	-	-	-	-
19	4	5	2	3	2	4	1	-	1	-	-	-
20	18	8	2	3	2	3	2	-	-	1	-	1
21	31	18	16	16	8	22	7	1	1	-	1	-
22	41	33	22	14	17	34	7	1	1	-	1	-
23	71	49	37	25	26	30	13	2	2	-	-	-
24	95	60	48	31	25	51	12	4	-	-	-	-
25	145	66	61	40	32	62	20	7	3	-	-	-
26	134	106	43	30	38	65	24	6	3	1	-	1
27	125	93	68	34	35	69	25	7	4	3	-	-
28	84	88	63	55	33	102	48	7	3	-	1	-
29	72	64	47	52	47	106	35	10	-	1	-	-
30 - 34	260	204	200	219	173	689	334	103	31	10	4	-
35 - 39	130	114	124	119	132	582	546	265	112	28	14	-
40 - 44	59	61	53	70	66	430	471	467	271	78	26	1
45 - 49	23	23	25	20	24	190	329	422	376	168	51	-
50 - 54	9	7	9	13	10	80	137	278	297	262	128	-
55 & over	4	6	3	5	4	49	94	242	365	470	1,130	-
Not stated	1	1	-	-	-	-	1	-	-	-	-	1

TABLE 44. MARRIAGES BY PREVIOUS MARITAL STATUS AND RESIDENCE OF BRIDE, BY RACE,* MARYLAND, 1967

Resident Status of Bride	All Marriages	PREVIOUS MARITAL STATUS OF BRIDE		
		Never Married	Widowed	Divorced
Total Marriages	48,894	37,386	2,746	8,762
Resident Bride	30,015	23,579	1,496	4,940
Resident Groom	25,905	20,195	1,329	4,381
Nonresident Groom	4,110	3,384	167	559
Nonresident Bride	18,879	13,807	1,250	3,822
Resident Groom	1,822	1,393	103	326
Nonresident Groom	17,057	12,414	1,147	3,496
Total White	40,590	30,715	2,278	7,597
Resident Bride	24,776	19,317	1,245	4,214
Resident Groom	21,101	16,272	1,098	3,731
Nonresident Groom	3,675	3,045	147	483
Nonresident Bride	15,814	11,398	1,033	3,383
Resident Groom	1,569	1,193	88	288
Nonresident Groom	14,245	10,205	945	3,095
Total Nonwhite	8,304	6,671	468	1,165
Resident Bride	5,239	4,262	251	726
Resident Groom	4,804	3,923	231	650
Nonresident Groom	435	339	20	76
Nonresident Bride	3,065	2,409	217	439
Resident Groom	253	200	15	38
Nonresident Groom	2,812	2,209	202	401

*Race shown refers to the race of the groom.

TABLE 45. MARRIAGES BY PREVIOUS MARITAL STATUS AND RESIDENCE OF GROOM, BY RACE, MARYLAND, 1967

Resident Status of Groom	All Marriages	PREVIOUS MARITAL STATUS OF GROOM		
		Never Married	Widowed	Divorced
Total Marriages	48,894	36,965	2,341	9,588
Resident Groom	27,727	21,476	1,294	4,957
Resident Bride	25,905	20,171	1,168	4,566
Nonresident Bride	1,822	1,305	126	391
Nonresident Groom	21,167	15,489	1,047	4,631
Resident Bride	4,110	3,383	135	592
Nonresident Bride	17,057	12,106	912	4,039
Total White	40,590	30,473	1,838	8,279
Resident Groom	22,670	17,434	1,021	4,215
Resident Bride	21,101	16,311	919	3,871
Nonresident Bride	1,569	1,123	102	344
Nonresident Groom	17,920	13,039	817	4,064
Resident Bride	3,675	3,039	115	521
Nonresident Bride	14,245	10,000	702	3,543
Total Nonwhite	8,304	6,492	503	1,309
Resident Groom	5,057	4,042	273	742
Resident Bride	4,804	3,860	249	695
Nonresident Bride	253	182	24	47
Nonresident Groom	3,247	2,450	230	567
Resident Bride	435	344	20	71
Nonresident Bride	2,812	2,106	210	496

TABLE 46. MARRIAGES BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM, BY TYPE OF CEREMONY, MARYLAND, 1967

Previous Marital Status of Groom	All Marriages	PREVIOUS MARITAL STATUS OF BRIDE		
		Never Married	Widowed	Divorced
Total Marriages	48,894	37,386	2,746	8,762
Never Married	36,965	33,049	708	3,208
Widowed	2,341	501	997	843
Divorced	9,588	3,836	1,041	4,711
Religious Ceremonies	36,810	29,213	1,968	5,629
Never Married	28,867	26,300	485	2,082
Widowed	1,735	359	796	580
Divorced	6,208	2,554	687	2,967
Civil Ceremonies	12,084	8,173	778	3,133
Never Married	8,098	6,749	223	1,126
Widowed	606	142	201	263
Divorced	3,380	1,282	354	1,744

TABLE 47. MARRIAGES BY STATE OF RESIDENCE OF BRIDE AND GROOM, MARYLAND, 1967

State of Residence	Bride	Groom
Total	48,894	48,894
Maryland	30,015	27,727
Pennsylvania	6,914	7,067
Virginia	1,978	2,179
New Jersey	1,786	1,930
New York	1,668	1,850
District of Columbia	1,561	1,598
West Virginia	1,418	1,404
Delaware	1,198	1,256
Ohio	670	836
Connecticut	382	421
Other United States	1,226	2,556
Foreign Countries	78	70

TABLE 48. ABSOLUTE DIVORCES AND ANNULMENTS BY LEGAL GROUNDS FOR DECREE AND POLITICAL SUBDIVISION OF OCCURRENCE, 1967

Area of Occurrence	ABSOLUTE DIVORCES AND ANNULMENTS			LEGAL GROUNDS				
	Total	Absolute Divorces	Annulments	Voluntary Separation	Desertion	Adultery	All Other*	Not Stated
Maryland State	7,413	7,305	108	4,116	1,904	1,101	216	76
Baltimore City	2,845	2,808	37	1,647	825	271	84	18
Total Counties	4,568	4,497	71	2,469	1,079	830	132	58
Allegany	180	172	8	67	46	57	9	1
Anne Arundel	414	407	7	231	83	76	11	13
Baltimore	887	876	11	436	279	128	23	21
Calvert	20	20	-	9	8	3	-	-
Caroline	25	25	-	16	3	6	-	-
Carroll	91	90	1	48	17	21	3	2
Cecil	122	119	3	45	33	38	5	1
Charles	38	38	-	19	12	4	3	-
Dorchester	72	72	-	47	12	12	1	-
Frederick	143	143	-	75	18	49	1	-
Garrett	32	28	4	9	7	11	5	-
Harford	169	166	3	95	48	20	3	3
Howard	48	48	-	28	12	5	-	3
Kent	35	35	-	9	11	11	1	3
Montgomery	676	672	4	426	165	63	17	5
Prince Georges	920	906	14	551	214	127	26	2
Queen Annes	21	21	-	7	9	4	1	-
Saint Marys	79	78	1	38	9	27	5	-
Somerset	55	55	-	30	9	16	-	-
Talbot	43	43	-	21	13	9	-	-
Washington	257	245	12	119	43	78	14	3
Wicomico	187	185	2	110	19	55	2	1
Worcester	54	53	1	33	9	10	2	-

*Includes incurable insanity, impotence, imprisonment for conviction of a felony, and any cause which renders a marriage null and void from the beginning. All annulments are included.

TABLE 49. ABSOLUTE DIVORCES AND ANNULMENTS BY DURATION OF MARRIAGE, THREE MARYLAND AREAS OF OCCURRENCE, 1967

Area of Occurrence	Total Number Granted	DURATION OF MARRIAGE IN YEARS									
		Under 2	2-3	4-5	6-7	8-9	10-14	15-19	20-24	25 & Over	Not Stated
Maryland State	7,413	240	1,047	1,003	864	698	1,284	941	673	615	48
Baltimore City	2,845	70	367	376	361	284	496	350	270	251	20
Total Counties	4,568	170	680	627	503	414	788	591	403	364	28

TABLE 50. ABSOLUTE DIVORCES AND ANNULMENTS BY PARTY TO WHOM DECREE WAS GRANTED, THREE MARYLAND AREAS OF OCCURRENCE, 1967

Area of Occurrence	Total Number Granted	PARTY TO WHOM DECREE GRANTED		
		Husband	Wife	Not Stated
Maryland State	7,413	2,787	4,385	241
Baltimore City	2,845	1,071	1,761	13
Total Counties	4,568	1,716	2,624	228

TABLE 51. ABSOLUTE DIVORCES AND ANNULMENTS BY PLACE WHERE MARRIAGE WAS PERFORMED, THREE MARYLAND AREAS OF OCCURRENCE, 1967

Area of Occurrence	Total Number Granted	PLACE WHERE MARRIAGE WAS PERFORMED					
		Maryland	District Of Columbia	Virginia	All Other U.S.	Foreign Countries	Not Stated
Maryland State	7,413	5,246	405	345	1,252	132	33
Baltimore City	2,845	2,259	47	121	375	39	4
Total Counties	4,568	2,987	358	224	877	93	29

TABLE 52. ABSOLUTE DIVORCES AND ANNULMENTS BY NUMBER OF CHILDREN REPORTED UNDER 18 YEAR OF AGE, THREE MARYLAND AREAS OF OCCURRENCE, 1967

Area of Occurrence	Total Number Granted	NUMBER OF CHILDREN REPORTED							
		None	1	2	3	4	5	6 or More	Not Stated
Maryland State	7,413	2,840	1,810	1,300	626	328	132	85	292
Baltimore City	2,845	1,208	680	458	228	98	48	33	92
Total Counties	4,568	1,632	1,130	842	398	230	84	52	200

TABLE 53. ABSOLUTE DIVORCES AND ANNULMENTS BY NUMBER OF CHILDREN REPORTED UNDER 18 YEARS OF AGE AND DURATION OF MARRIAGE, MARYLAND, 1967

Number of Children Reported	Total Number Granted	DURATION OF MARRIAGE IN YEARS									
		Under 2	2-3	4-5	6-7	8-9	10-14	15-19	20-24	25 & Over	Not Stated
Total	7,413	240	1,047	1,003	864	698	1,284	941	673	615	48
None	2,840	194	605	402	266	194	305	237	218	401	18
1	1,810	33	352	380	234	155	238	171	150	91	6
2	1,300	4	51	157	235	179	298	174	137	61	4
3	626	-	9	32	84	99	200	132	56	11	3
4	328	4	-	6	23	40	122	98	25	6	4
5	132	-	1	1	3	11	48	46	16	6	-
6 or More	85	-	-	2	1	2	26	43	10	1	-
Not Stated	292	5	29	23	18	18	47	40	61	38	13

TABLE 54. COMPARATIVE POPULATION ESTIMATES AND VITAL STATISTICS DATA BY RACE FOR MARYLAND REGIONS, 1967

Region	Population (July 1, 1967)	Births	Deaths	Infant Deaths	Birth Rate*	Death Rate*	Infant Mortality Rate**
Total	3,692,420	69,726	31,159	1,545	18.9	8.4	22.2
Northwest Area	304,550	4,828	2,998	114	15.9	9.8	23.6
Baltimore Metro Area	1,992,210	36,521	18,595	840	18.3	9.3	23.0
National Capital Area	1,033,800	21,492	5,767	392	20.8	5.6	18.2
Southern Area	103,620	2,677	798	71	25.8	7.7	26.5
Eastern Shore Area	258,240	4,208	3,001	128	16.3	11.6	30.4
White	3,066,230	54,167	25,280	1,037	17.7	8.2	19.1
Northwest Area	294,570	4,606	2,878	96	15.6	9.8	20.8
Baltimore Metro Area	1,537,770	25,361	14,243	496	16.5	9.3	19.6
National Capital Area	960,310	19,479	5,322	342	20.3	5.5	17.6
Southern Area	73,650	1,770	544	33	24.0	7.4	18.6
Eastern Shore Area	199,930	2,951	2,293	70	14.8	11.5	23.7
Nonwhite	626,190	15,559	5,879	508	24.8	9.4	32.6
Northwest Area	9,980	222	120	18	22.2	12.0	81.1
Baltimore Metro Area	454,440	11,160	4,352	344	24.6	9.6	30.8
National Capital Area	73,490	2,013	445	50	27.4	6.1	24.8
Southern Area	29,970	907	254	38	30.3	8.5	41.9
Eastern Shore Area	58,310	1,257	708	58	21.6	12.1	46.1

* Per 1,000 population
**Per 1,000 live births

The geographic regions of the state and the political subdivisions they include are as follows:

Northwest Area
- Garrett
- Allegany
- Washington
- Frederick

Baltimore Metro Area
- Baltimore City
- Baltimore County
- Anne Arundel
- Carroll
- Howard
- Harford

National Capital Area
- Montgomery
- Prince Georges

Southern Area
- Calvert
- Charles
- Saint Marys

Eastern Shore Area
- Cecil
- Kent
- Queen Annes
- Caroline
- Talbot
- Dorchester
- Wicomico
- Somerset
- Worcester

TABLE 55. SELECTED NATALITY DATA BY RACE FOR MARYLAND AND THE UNITED STATES, 1965-1967

Year	BIRTH RATES*					
	Total		White		Nonwhite	
	Maryland	United States	Maryland	United States	Maryland	United States
1967	18.9	17.9#	17.7	N.A.	24.8	N.A.
1966	19.9	18.4	18.7	17.4	26.4	26.1
1965	20.9	19.4	19.5	18.3	27.8	27.6

	PERCENT OF BIRTHS PREMATURE					
	Total		White		Nonwhite	
	Maryland	United States	Maryland	United States	Maryland	United States
1967	9.2	N.A.	7.4	N.A.	15.2	N.A.
1966	9.3	8.3	7.6	7.2	15.1	13.9
1965	9.2	8.3	7.4	7.2	15.3	13.8

	PERCENT OF BIRTHS ILLEGITIMATE					
	Total		White		Nonwhite	
	Maryland	United States	Maryland	United States	Maryland	United States
1967	13.3	N.A.	5.1	N.A.	41.6	N.A.
1966	12.6	8.4	4.7	4.4	40.2	27.7
1965	11.9	7.7	4.3	4.0	38.0	26.3

* Birth rates are per 1,000 population.

\# Provisional.

N.A. Not available.

TABLE 56. SELECTED MORTALITY DATA BY RACE FOR MARYLAND AND THE UNITED STATES, 1965-1967

Year	DEATH RATES*					
	Total		White		Nonwhite	
	Maryland	United States	Maryland	United States	Maryland	United States
1967	8.4	9.4#	8.2	9.4#	9.4	9.3#
1966	8.8	9.5	8.4	9.5	10.4	9.7
1965	8.7	9.4	8.4	9.4	10.1	9.7

	INFANT DEATH RATES PER 1,000 LIVE BIRTHS					
	Total		White		Nonwhite	
	Maryland	United States	Maryland	United States	Maryland	United States
1967	22.2	22.1#	19.1	N.A.	32.6	N.A.
1966	23.2	23.7	19.2	20.6	37.4	38.8
1965	24.8	24.7	21.9	21.5	34.7	40.3

	NEONATAL DEATH RATES PER 1,000 LIVE BIRTHS					
	Total		White		Nonwhite	
	Maryland	United States	Maryland	United States	Maryland	United States
1967	16.8	16.2#	14.7	N.A.	24.4	N.A.
1966	17.6	17.2	15.0	15.6	26.6	24.8
1965	18.5	17.7	16.8	16.1	24.1	25.4

* Death rates are per 1,000 population.

\# Provisional.

N.A. Not available.

DO NOT CIRCULATE

3 1430 02881775 9

a31430028817759b
UNIV OF MD COLLEGE PARK

DO NOT CIRCULATE